Indiana High School Survey Summary Table - Weighted Data

QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-----|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 93.3 | (91.5 - 94.7) | 1,626 | 94.5 | (92.7 - 95.9) | 813 | 91.8 | (88.9 - 94.0) | 796 |
| Age | | | | | | | | | | |
| | 15 or younger | 94.1 | (91.0 - 96.2) | 547 | 95.4 | (91.4 - 97.6) | 266 | 93.1 | (88.4 - 96.0) | 275 |
| | 16 or 17 | 92.3 | (89.9 - 94.2) | 833 | 93.1 | (89.9 - 95.3) | 420 | 91.4 | (88.3 - 93.7) | 412 |
| | 18 or older | 94.4 | (89.1 - 97.2) | 239 | 97.0 | (92.2 - 98.9) | 127 | 90.5 | (78.6 - 96.1) | 107 |
| Grade | | | | | | | | | | |
| | 9th | 95.1 | (92.4 - 96.9) | 558 | 96.9 | (94.4 - 98.4) | 279 | 92.7 | (88.1 - 95.7) | 275 |
| | 10th | 91.5 | (88.2 - 93.9) | 465 | 91.7 | (86.5 - 95.0) | 240 | 91.2 | (87.2 - 94.0) | 224 |
| | 11th | 92.3 | (88.9 - 94.8) | 360 | 92.1 | (87.0 - 95.2) | 175 | 93.4 | (88.9 - 96.1) | 182 |
| | 12th | 94.1 | (88.3 - 97.1) | 229 | 97.7 | (92.0 - 99.4) | 115 | 89.6 | (77.1 - 95.7) | 111 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 97.1 | (92.7 - 98.9) | 156 | - | - | 80 | - | - | 73 |
| | Hispanic/Latino | 93.5 | (86.5 - 97.0) | 153 | - | - | 73 | - | - | 78 |
| | White* | 92.9 | (91.1 - 94.3) | 1,210 | 94.1 | (92.3 - 95.6) | 613 | 91.3 | (88.0 - 93.8) | 594 |
| | All other races | - | - | 41 | - | - | 20 | - | - | 21 |
| | Multiple races | - | - | 40 | - | - | 17 | - | - | 23 |

Note: There were 705 students who were excluded from the analysis for QN8.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else

| | | | Total | | | Male | | | Female | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 9.2 | (7.9 - 10.8) | 2,327 | 12.8 | (10.8 - 15.2) | 1,072 | 5.6 | (4.4 - 7.0) | 1,228 |
| Age | | | | | | | | | | |
| | 15 or younger | 8.1 | (6.0 - 10.7) | 694 | 9.8 | (6.1 - 15.5) | 314 | 6.1 | (4.0 - 9.1) | 372 |
| | 16 or 17 | 10.2 | (8.1 - 12.8) | 1,208 | 14.1 | (10.5 - 18.6) | 558 | 6.3 | (4.7 - 8.5) | 647 |
| | 18 or older | 8.4 | (6.0 - 11.7) | 411 | 13.6 | (9.7 - 18.8) | 200 | 2.9 | (1.5 - 5.5) | 207 |
| Grade | | | | | | | | | | |
| | 9th | 9.1 | (7.2 - 11.3) | 709 | 10.9 | (6.6 - 17.5) | 329 | 7.2 | (5.1 - 10.2) | 375 |
| | 10th | 10.3 | (7.6 - 13.7) | 621 | 14.1 | (9.4 - 20.7) | 300 | 6.3 | (3.8 - 10.2) | 318 |
| | 11th | 9.3 | (6.8 - 12.4) | 553 | 12.8 | (9.1 - 17.7) | 243 | 5.8 | (3.7 - 9.0) | 307 |
| | 12th | 7.9 | (4.7 - 13.0) | 417 | 13.5 | (8.7 - 20.4) | 192 | 2.2 | (0.9 - 5.2) | 222 |
| Race/Etl | nnicity | | | | | | | | | |
| | Black* | 6.3 | (3.5 - 11.3) | 251 | 10.1 | (5.6 - 17.5) | 110 | 2.6 | (0.8 - 8.4) | 138 |
| | Hispanic/Latino | 19.7 | (13.7 - 27.5) | 221 | 21.8 | (15.0 - 30.8) | 100 | 16.7 | (10.8 - 24.9) | 119 |
| | White* | 8.9 | (7.1 - 11.1) | 1,678 | 12.4 | (9.9 - 15.4) | 786 | 5.4 | (4.0 - 7.1) | 888 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 4 students who were excluded from the analysis for QN9.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol

| | | | Total | | | Male | | | Female | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 26.4 | (23.2 - 29.8) | 2,320 | 27.8 | (24.3 - 31.7) | 1,069 | 24.2 | (20.7 - 28.1) | 1,223 |
| Age | | | | | | | | | | |
| | 15 or younger | 24.3 | (21.1 - 27.9) | 692 | 24.8 | (19.6 - 30.9) | 313 | 23.4 | (20.4 - 26.7) | 371 |
| | 16 or 17 | 25.6 | (21.8 - 29.7) | 1,204 | 28.6 | (24.7 - 32.9) | 556 | 22.3 | (17.8 - 27.6) | 645 |
| | 18 or older | 30.2 | (24.7 - 36.2) | 410 | 29.8 | (23.3 - 37.2) | 200 | 29.9 | (22.1 - 39.0) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 24.3 | (20.6 - 28.3) | 707 | 24.0 | (18.1 - 31.0) | 328 | 24.5 | (21.6 - 27.7) | 373 |
| | 10th | 26.6 | (21.5 - 32.5) | 620 | 31.1 | (25.5 - 37.4) | 300 | 21.8 | (16.6 - 28.1) | 317 |
| | 11th | 24.6 | (21.0 - 28.6) | 551 | 25.0 | (20.8 - 29.8) | 241 | 23.6 | (17.9 - 30.5) | 307 |
| | 12th | 29.3 | (23.0 - 36.5) | 415 | 31.9 | (23.8 - 41.3) | 192 | 26.6 | (18.8 - 36.1) | 220 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 28.4 | (21.8 - 36.0) | 250 | 27.1 | (18.7 - 37.7) | 110 | 29.6 | (21.2 - 39.6) | 137 |
| | Hispanic/Latino | 37.8 | (31.0 - 45.2) | 220 | - | - | 99 | 39.9 | (31.3 - 49.1) | 119 |
| | White* | 24.5 | (20.8 - 28.7) | 1,673 | 26.8 | (22.8 - 31.3) | 784 | 22.3 | (18.0 - 27.1) | 885 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 11 students who were excluded from the analysis for QN10.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN11: Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol

| | | Total | | Male | | | Female | | | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 11.9 | (9.2 - 15.4) | 2,292 | 15.0 | (11.3 - 19.7) | 1,051 | 8.6 | (6.2 - 11.9) | 1,214 |
| Age | | | | | | | | | | |
| | 15 or younger | 5.7 | (3.7 - 8.8) | 687 | 7.6 | (4.1 - 13.6) | 311 | 3.8 | (2.1 - 6.6) | 368 |
| | 16 or 17 | 11.6 | (8.8 - 15.2) | 1,189 | 14.6 | (10.9 - 19.3) | 545 | 8.5 | (5.9 - 12.2) | 641 |
| | 18 or older | 20.5 | (14.2 - 28.6) | 404 | 25.4 | (16.5 - 37.0) | 195 | 15.7 | (9.4 - 25.0) | 204 |
| Grade | | | | | | | | | | |
| | 9th | 5.7 | (3.4 - 9.5) | 699 | 7.3 | (3.3 - 15.2) | 322 | 4.1 | (2.6 - 6.3) | 371 |
| | 10th | 10.0 | (6.8 - 14.5) | 611 | 12.8 | (8.6 - 18.6) | 294 | 7.2 | (4.2 - 12.1) | 314 |
| | 11th | 14.7 | (11.2 - 19.1) | 547 | 18.5 | (13.9 - 24.2) | 238 | 11.1 | (6.9 - 17.4) | 306 |
| | 12th | 18.4 | (12.2 - 27.0) | 409 | 23.7 | (15.2 - 35.2) | 189 | 12.9 | (7.0 - 22.6) | 217 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 8.6 | (5.4 - 13.5) | 237 | 13.2 | (7.0 - 23.5) | 102 | 3.9 | (1.5 - 10.2) | 132 |
| | Hispanic/Latino | 15.9 | (10.7 - 23.0) | 218 | - | - | 99 | 12.0 | (6.6 - 20.7) | 117 |
| | White* | 12.0 | (8.8 - 16.3) | 1,665 | 15.1 | (10.8 - 20.5) | 777 | 9.1 | (6.3 - 12.9) | 884 |
| | All other races | - | - | 68 | - | - | 34 | - | - | 33 |
| | Multiple races | - | - | 53 | - | - | 20 | - | - | 33 |

Note: There were 39 students who were excluded from the analysis for QN11.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN12: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days

| | | Total | | | Male | | | Female | | | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 20.9 | (19.3 - 22.6) | 2,284 | 32.6 | (29.8 - 35.6) | 1,042 | 8.2 | (6.9 - 9.8) | 1,217 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 18.7 | (15.4 - 22.5) | 676 | 28.8 | (23.7 - 34.4) | 301 | 7.7 | (5.2 - 11.2) | 368 | |
| | 16 or 17 | 21.5 | (18.6 - 24.7) | 1,193 | 33.8 | (28.5 - 39.6) | 546 | 9.1 | (7.2 - 11.4) | 644 | |
| | 18 or older | 21.4 | (16.9 - 26.8) | 402 | 34.4 | (27.7 - 41.8) | 195 | 6.1 | (3.5 - 10.5) | 203 | |
| Grade | | | | | | | | | | | |
| | 9th | 20.5 | (17.4 - 23.9) | 695 | 31.8 | (27.0 - 36.9) | 318 | 8.4 | (5.9 - 11.8) | 372 | |
| | 10th | 21.5 | (17.3 - 26.5) | 609 | 34.4 | (27.9 - 41.6) | 290 | 8.6 | (5.7 - 12.9) | 317 | |
| | 11th | 19.5 | (15.3 - 24.6) | 542 | 31.0 | (22.4 - 41.2) | 237 | 7.7 | (4.7 - 12.4) | 303 | |
| | 12th | 20.6 | (16.6 - 25.3) | 411 | 33.5 | (26.9 - 40.9) | 189 | 7.4 | (4.3 - 12.4) | 219 | |
| Race/Et | hnicity | | | | | | | | | | |
| | Black* | 23.5 | (15.7 - 33.6) | 246 | 31.9 | (21.7 - 44.1) | 106 | 14.4 | (9.1 - 21.9) | 137 | |
| | Hispanic/Latino | 24.2 | (17.5 - 32.3) | 213 | - | - | 96 | 19.5 | (12.4 - 29.2) | 115 | |
| | White* | 19.8 | (17.6 - 22.2) | 1,660 | 33.0 | (28.9 - 37.4) | 769 | 6.5 | (5.2 - 8.0) | 887 | |
| | All other races | - | - | 67 | - | - | 34 | - | - | 32 | |
| | Multiple races | - | - | 52 | - | - | 19 | - | - | 33 | |

Note: There were 47 students who were excluded from the analysis for QN12.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN13: Percentage of students who carried a gun on one or more of the past 30 days

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|---------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | e 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 9.1 | (7.7 - 10.7) | 2,293 | 15.6 | (13.6 - 17.8) | 1,050 | 2.0 | (1.4 - 2.8) | 1,216 |
| Age | | | | | | | | | | |
| | 15 or younger | 7.7 | (6.0 - 9.8) | 678 | 13.4 | (10.3 - 17.3) | 303 | 1.5 | (0.7 - 3.5) | 367 |
| | 16 or 17 | 8.3 | (6.2 - 11.1) | 1,197 | 14.5 | (10.9 - 19.1) | 550 | 2.1 | (1.1 - 3.9) | 644 |
| | 18 or older | 12.5 | (9.3 - 16.5) | 405 | 20.9 | (15.5 - 27.4) | 197 | 2.1 | (0.8 - 5.4) | 203 |
| Grade | | | | | | | | | | |
| | 9th | 8.4 | (6.6 - 10.6) | 695 | 14.5 | (11.0 - 18.9) | 318 | 1.7 | (1.0 - 2.9) | 371 |
| | 10th | 9.2 | (6.2 - 13.5) | 613 | 16.5 | (11.6 - 22.9) | 295 | 1.9 | (0.8 - 4.7) | 316 |
| | 11th | 7.6 | (4.8 - 12.0) | 545 | 13.9 | (8.1 - 22.7) | 238 | 0.9 | (0.3 - 3.2) | 304 |
| | 12th | 10.6 | (8.0 - 13.9) | 413 | 17.8 | (13.2 - 23.5) | 191 | 3.1 | (1.4 - 6.5) | 219 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 13.6 | (6.8 - 25.4) | 248 | 24.8 | (13.8 - 40.5) | 108 | 2.3 | (0.5 - 9.2) | 137 |
| | Hispanic/Latino | 14.1 | (8.9 - 21.8) | 214 | - | - | 97 | 10.6 | (5.2 - 20.4) | 115 |
| | White* | 7.8 | (6.2 - 9.7) | 1,665 | 14.2 | (11.6 - 17.3) | 774 | 1.3 | (0.8 - 2.1) | 887 |
| | All other races | - | - | 67 | - | - | 34 | - | - | 32 |
| | Multiple races | - | - | 51 | - | - | 19 | - | - | 32 |

Note: There were 38 students who were excluded from the analysis for QN13.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN14: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days

| | | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------|-----------------|------------|-------------------------------|-------|------------|---------------------------------------|-------|------------|---|-------|
| | Total | 6.9 | (5.7 - 8.3) | 2,308 | 9.4 (| 7.8 - 11.4) | 1,061 | 3.4 | (2.1 - 5.3) | 1,221 |
| Age | | | | | | | | | | |
| | 15 or younger | 6.6 | (4.7 - 9.1) | 688 | 8.7 (| 6.3 - 12.1) | 310 | 3.2 | (1.5 - 6.7) | 371 |
| | 16 or 17 | 6.5 | (5.2 - 8.1) | 1,201 | 9.3 (| 7.2 - 12.0) | 555 | 3.5 | (2.1 - 5.7) | 643 |
| | 18 or older | 7.3 | (4.4 - 11.9) | 406 | 10.5 (| 6.6 - 16.5) | 196 | 2.8 | (1.1 - 6.8) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 6.6 | (4.6 - 9.5) | 706 | 8.6 (| 5.4 - 13.4) | 326 | 3.4 | (1.7 - 6.8) | 374 |
| | 10th | 6.6 | (4.6 - 9.4) | 616 | 11.3 (| 8.2 - 15.3) | 296 | 1.9 | (0.9 - 4.0) | 318 |
| | 11th | 6.5 | (4.7 - 9.0) | 545 | 8.3 (| 5.4 - 12.4) | 241 | 4.2 | (2.0 - 8.8) | 302 |
| | 12th | 6.7 | (4.3 - 10.3) | 414 | 9.4 (| 6.0 - 14.4) | 190 | 3.7 | (1.7 - 8.0) | 221 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 9.0 | (5.2 - 15.3) | 250 | 9.3 (| 4.8 - 17.3) | 109 | 7.9 | (4.0 - 14.9) | 138 |
| | Hispanic/Latino | 10.4 | (5.9 - 17.5) | 216 | - | - | 98 | 9.8 | (5.2 - 17.9) | 116 |
| | White* | 5.9 | (4.9 - 7.2) | 1,669 | 9.4 (| 7.5 - 11.9) | 779 | 2.2 | (1.3 - 3.6) | 886 |
| | All other races | - | - | 69 | - | - | 35 | - | - | 33 |
| | Multiple races | - | - | 54 | - | - | 21 | - | - | 33 |

Note: There were 23 students who were excluded from the analysis for QN14.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN15: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school

| | | | Total | | | Male | | | Female | |
|-------------|----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| To | otal | 5.9 | (4.5 - 7.8) | 2,324 | 5.2 | (3.7 - 7.2) | 1,071 | 6.1 | (4.5 - 8.2) | 1,226 |
| Age | | | | | | | | | | |
| 15 | 5 or younger | 5.9 | (3.8 - 9.2) | 694 | 4.6 | (2.9 - 7.1) | 313 | 6.6 | (4.1 - 10.3) | 372 |
| 10 | 6 or 17 | 6.2 | (4.8 - 8.1) | 1,206 | 5.8 | (4.0 - 8.4) | 558 | 6.6 | (4.7 - 9.1) | 646 |
| 18 | 8 or older | 4.5 | (2.4 - 8.2) | 410 | 4.5 | (1.8 - 11.2) | 200 | 4.0 | (2.1 - 7.4) | 206 |
| Grade | | | | | | | | | | |
| 9 | th | 6.3 | (4.1 - 9.4) | 708 | 4.5 | (2.8 - 7.1) | 327 | 7.7 | (4.7 - 12.3) | 375 |
| 10 | Oth | 6.2 | (4.2 - 9.0) | 619 | 7.2 | (4.7 - 10.9) | 299 | 5.0 | (2.8 - 8.8) | 317 |
| 11 | 1th | 5.9 | (3.8 - 9.1) | 553 | 5.6 | (3.2 - 9.8) | 244 | 5.8 | (3.6 - 9.1) | 307 |
| 12 | 2th | 4.0 | (2.4 - 6.8) | 417 | 3.0 | (1.3 - 7.0) | 193 | 5.1 | (2.9 - 9.0) | 221 |
| Race/Ethnic | rity | | | | | | | | | |
| В | lack* | 9.4 | (6.2 - 14.1) | 250 | 6.1 | (2.5 - 14.5) | 110 | 13.0 | (8.1 - 20.3) | 138 |
| Н | ispanic/Latino | 12.5 | (8.5 - 18.1) | 222 | 11.8 | (6.6 - 20.1) | 101 | 12.2 | (6.9 - 20.6) | 119 |
| W | /hite* | 4.4 | (3.1 - 6.2) | 1,676 | 4.3 | (2.9 - 6.3) | 785 | 4.6 | (2.9 - 7.2) | 887 |
| A | ll other races | - | - | 68 | - | - | 34 | - | - | 33 |
| M | Iultiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 7 students who were excluded from the analysis for QN15.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN16: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months

| | | | Total | | | Male | | | Female | |
|------------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| 7 | Γotal | 9.6 | (8.3 - 11.1) | 2,318 | 11.6 | (9.7 - 13.7) | 1,068 | 7.2 | (5.8 - 8.7) | 1,223 |
| Age | | | | | | | | | | |
| 1 | 15 or younger | 11.4 | (9.3 - 13.9) | 692 | 14.6 | (10.9 - 19.4) | 312 | 8.1 | (6.0 - 10.8) | 371 |
| 1 | 16 or 17 | 9.9 | (8.3 - 11.7) | 1,203 | 12.1 | (9.9 - 14.6) | 556 | 7.5 | (5.8 - 9.7) | 645 |
| 1 | 18 or older | 6.2 | (3.7 - 10.2) | 410 | 6.6 | (3.6 - 11.9) | 200 | 4.4 | (2.2 - 8.7) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 11.2 | (8.9 - 14.1) | 705 | 13.1 | (9.3 - 18.1) | 325 | 9.0 | (6.7 - 11.9) | 374 |
| 1 | 10th | 11.5 | (9.0 - 14.7) | 618 | 15.7 | (12.5 - 19.6) | 298 | 7.2 | (4.2 - 12.0) | 317 |
| 1 | 11th | 7.4 | (5.3 - 10.3) | 552 | 9.0 | (6.1 - 13.0) | 244 | 5.9 | (3.4 - 9.9) | 306 |
| 1 | 12th | 6.4 | (3.9 - 10.3) | 416 | 7.3 | (3.8 - 13.6) | 193 | 5.6 | (3.1 - 9.6) | 220 |
| Race/Ethni | icity | | | | | | | | | |
| I | Black* | 8.6 | (5.8 - 12.4) | 247 | 8.6 | (4.8 - 14.8) | 108 | 8.7 | (5.2 - 14.3) | 137 |
| I | Hispanic/Latino | 14.1 | (9.0 - 21.4) | 221 | 12.2 | (7.3 - 19.6) | 101 | 15.0 | (8.3 - 25.6) | 118 |
| V | White* | 9.0 | (7.6 - 10.6) | 1,674 | 11.7 | (9.5 - 14.2) | 784 | 6.2 | (4.8 - 8.0) | 886 |
| A | All other races | - | - | 68 | - | - | 34 | - | - | 33 |
| N | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 13 students who were excluded from the analysis for QN16.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN17: Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months

| | | Total | | Male | | | Female | | | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 29.2 | (26.6 - 31.8) | 2,325 | 30.9 | (27.8 - 34.3) | 1,071 | 26.7 | (23.7 - 30.0) | 1,227 |
| Age | | | | | | | | | | |
| | 15 or younger | 31.1 | (27.5 - 35.0) | 693 | 30.5 | (26.1 - 35.4) | 313 | 31.2 | (26.7 - 36.0) | 372 |
| | 16 or 17 | 31.0 | (27.4 - 34.8) | 1,206 | 34.6 | (30.2 - 39.2) | 558 | 27.4 | (22.9 - 32.4) | 646 |
| | 18 or older | 21.1 | (16.4 - 26.9) | 412 | 22.8 | (14.8 - 33.5) | 200 | 18.9 | (14.2 - 24.7) | 207 |
| Grade | | | | | | | | | | |
| | 9th | 32.8 | (29.4 - 36.4) | 707 | 32.6 | (28.0 - 37.4) | 327 | 33.3 | (29.2 - 37.8) | 375 |
| | 10th | 30.9 | (25.2 - 37.4) | 619 | 35.9 | (29.9 - 42.3) | 299 | 25.9 | (19.9 - 32.9) | 317 |
| | 11th | 27.2 | (22.1 - 32.8) | 553 | 28.7 | (23.6 - 34.5) | 244 | 25.3 | (19.0 - 32.8) | 307 |
| | 12th | 22.5 | (17.2 - 28.9) | 418 | 25.0 | (16.6 - 35.8) | 193 | 20.1 | (14.5 - 27.3) | 222 |
| Race/Eth | nicity | | | | | | | | | |
| | Black* | 28.6 | (22.3 - 35.9) | 249 | 29.3 | (21.9 - 37.9) | 110 | 28.3 | (20.9 - 37.1) | 138 |
| | Hispanic/Latino | 29.0 | (24.7 - 33.8) | 222 | 26.6 | (18.0 - 37.4) | 101 | 31.0 | (21.2 - 42.9) | 119 |
| | White* | 28.6 | (25.8 - 31.5) | 1,676 | 31.1 | (27.3 - 35.2) | 785 | 26.1 | (22.5 - 30.1) | 887 |
| | All other races | - | - | 69 | - | - | 34 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 6 students who were excluded from the analysis for QN17.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN18: Percentage of students who were in a physical fight one or more times during the past 12 months

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 29.5 | (26.8 - 32.3) | 2,278 | 37.9 | (34.7 - 41.3) | 1,045 | 20.5 | (17.8 - 23.4) | 1,213 |
| Age | | | | | | | | | | |
| | 15 or younger | 31.1 | (26.5 - 36.1) | 680 | 41.7 | (34.9 - 48.9) | 306 | 20.8 | (16.8 - 25.5) | 370 |
| | 16 or 17 | 29.5 | (26.5 - 32.8) | 1,181 | 37.3 | (32.8 - 42.0) | 542 | 21.7 | (18.2 - 25.7) | 637 |
| | 18 or older | 26.2 | (21.1 - 32.1) | 405 | 34.6 | (28.2 - 41.7) | 197 | 16.4 | (12.4 - 21.3) | 204 |
| Grade | | | | | | | | | | |
| | 9th | 32.9 | (28.2 - 37.9) | 696 | 42.9 | (35.4 - 50.6) | 320 | 22.6 | (18.8 - 26.9) | 371 |
| | 10th | 31.3 | (27.2 - 35.7) | 604 | 38.8 | (32.8 - 45.2) | 290 | 23.8 | (19.1 - 29.2) | 313 |
| | 11th | 25.9 | (21.6 - 30.8) | 541 | 33.9 | (26.3 - 42.4) | 236 | 17.6 | (12.8 - 23.8) | 304 |
| | 12th | 25.5 | (20.1 - 31.8) | 413 | 34.7 | (27.5 - 42.6) | 191 | 16.3 | (12.4 - 21.2) | 219 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 37.3 | (31.1 - 44.0) | 243 | 37.3 | (26.2 - 49.8) | 105 | 36.7 | (27.4 - 47.2) | 137 |
| | Hispanic/Latino | 43.2 | (35.5 - 51.3) | 214 | - | - | 95 | 39.1 | (30.0 - 49.0) | 117 |
| | White* | 27.0 | (24.0 - 30.1) | 1,656 | 37.1 | (33.7 - 40.6) | 773 | 16.8 | (14.3 - 19.7) | 879 |
| | All other races | - | - | 66 | - | - | 33 | - | - | 32 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 53 students who were excluded from the analysis for QN18.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN19: Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse

| | | | Total | | | Male | | | Female | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 3.8 | (3.1 - 4.6) | 2,292 | 4.4 | (3.4 - 5.7) | 1,057 | 2.9 | (2.1 - 4.1) | 1,215 |
| Age | | | | | | | | | | |
| | 15 or younger | 3.1 | (2.2 - 4.2) | 683 | 3.6 | (2.1 - 6.3) | 309 | 2.3 | (1.2 - 4.2) | 370 |
| | 16 or 17 | 3.8 | (2.7 - 5.2) | 1,189 | 4.1 (| (2.8 - 6.0) | 549 | 3.3 | (2.1 - 5.3) | 638 |
| | 18 or older | 4.4 | (2.5 - 7.4) | 407 | 6.3 | (3.4 - 11.3) | 199 | 2.3 | (1.0 - 5.4) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 3.1 | (2.1 - 4.6) | 698 | 3.1 | (1.6 - 5.8) | 323 | 2.9 | (1.8 - 4.6) | 371 |
| | 10th | 4.4 | (2.6 - 7.1) | 610 | 5.7 (| (3.0 - 10.6) | 296 | 2.9 | (1.3 - 6.4) | 313 |
| | 11th | 3.5 | (2.2 - 5.6) | 542 | 4.9 | (2.7 - 9.0) | 237 | 2.2 | (1.1 - 4.4) | 304 |
| | 12th | 3.6 | (2.1 - 6.1) | 417 | 3.9 | (1.9 - 7.9) | 193 | 3.4 | (1.4 - 7.7) | 221 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 6.2 | (2.9 - 12.6) | 248 | 5.8 | (1.9 - 16.4) | 109 | 6.6 | (3.2 - 13.3) | 138 |
| | Hispanic/Latino | 10.9 | (5.3 - 21.1) | 215 | - | - | 97 | 9.4 | (3.5 - 22.8) | 116 |
| | White* | 2.7 | (2.1 - 3.4) | 1,663 | 3.5 | (2.6 - 4.7) | 777 | 1.9 | (1.2 - 3.1) | 882 |
| | All other races | - | - | 65 | - | - | 34 | - | - | 30 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 39 students who were excluded from the analysis for QN19.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|---------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | e 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 11.5 | (9.7 - 13.5) | 2,295 | 14.5 | (12.2 - 17.1) | 1,054 | 7.6 | (5.9 - 9.8) | 1,216 |
| Age | | | | | | | | | | |
| | 15 or younger | 14.2 | (11.3 - 17.6) | 687 | 18.4 | (14.5 - 23.0) | 310 | 9.1 | (6.4 - 12.9) | 370 |
| | 16 or 17 | 11.1 | (9.4 - 13.1) | 1,190 | 14.4 | (11.8 - 17.5) | 547 | 7.8 | (5.7 - 10.4) | 640 |
| | 18 or older | 8.1 | (4.5 - 13.9) | 406 | 9.8 | (4.8 - 19.0) | 197 | 4.9 | (2.6 - 8.8) | 204 |
| Grade | | | | | | | | | | |
| | 9th | 15.0 | (12.1 - 18.4) | 699 | 19.3 | (14.6 - 25.0) | 323 | 10.2 | (7.7 - 13.4) | 371 |
| | 10th | 11.7 | (8.9 - 15.2) | 610 | 15.4 | (11.9 - 19.6) | 292 | 8.0 | (5.1 - 12.3) | 316 |
| | 11th | 8.9 | (6.6 - 11.8) | 547 | 11.5 | (7.8 - 16.7) | 240 | 5.8 | (3.9 - 8.7) | 304 |
| | 12th | 7.8 | (4.7 - 12.8) | 413 | 10.1 | (5.1 - 18.9) | 191 | 5.6 | (3.0 - 10.3) | 219 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 17.6 | (12.0 - 25.1) | 245 | 18.9 | (10.7 - 31.2) | 106 | 16.6 | (10.6 - 25.0) | 137 |
| | Hispanic/Latino | 15.2 | (9.6 - 23.1) | 216 | - | - | 97 | 14.7 | (9.7 - 21.7) | 117 |
| | White* | 9.6 | (8.2 - 11.1) | 1,663 | 13.2 | (11.6 - 15.0) | 777 | 5.9 | (4.2 - 8.1) | 882 |
| | All other races | - | - | 67 | - | - | 34 | - | - | 32 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 36 students who were excluded from the analysis for QN20.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN21: Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months

| | | Total | | Male | | | Female | | | |
|-----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 11.6 | (10.3 - 13.2) | 2,319 | 12.2 | (10.3 - 14.3) | 1,071 | 10.8 | (9.1 - 12.9) | 1,223 |
| Age | | | | | | | | | | |
| | 15 or younger | 10.8 | (8.8 - 13.2) | 691 | 10.7 | (7.6 - 15.1) | 313 | 9.9 | (6.6 - 14.7) | 371 |
| | 16 or 17 | 11.4 | (9.4 - 13.9) | 1,207 | 11.5 | (8.7 - 15.1) | 559 | 11.3 | (8.9 - 14.2) | 645 |
| | 18 or older | 13.2 | (10.4 - 16.6) | 409 | 15.6 | (11.5 - 20.7) | 199 | 10.9 | (6.8 - 16.9) | 206 |
| Grade | | | | | | | | | | |
| | 9th | 11.5 | (9.3 - 14.2) | 705 | 12.0 | (8.8 - 16.2) | 327 | 10.7 | (7.2 - 15.5) | 374 |
| | 10th | 10.3 | (8.4 - 12.5) | 620 | 9.9 | (6.9 - 13.9) | 300 | 10.6 | (7.6 - 14.6) | 318 |
| | 11th | 13.1 | (10.3 - 16.4) | 551 | 13.2 | (9.0 - 19.0) | 243 | 13.1 | (9.9 - 17.1) | 305 |
| | 12th | 11.5 | (8.9 - 14.7) | 416 | 13.9 | (10.1 - 18.9) | 193 | 8.8 | (5.5 - 13.9) | 220 |
| Race/Ethn | icity | | | | | | | | | |
| | Black* | 16.5 | (12.9 - 20.8) | 250 | 18.9 | (13.7 - 25.4) | 111 | 14.2 | (9.0 - 21.8) | 137 |
| | Hispanic/Latino | 20.1 | (14.2 - 27.8) | 220 | 18.0 | (10.9 - 28.3) | 100 | 21.5 | (15.6 - 28.9) | 118 |
| | White* | 10.3 | (8.8 - 11.9) | 1,674 | 10.6 | (8.7 - 12.9) | 784 | 9.8 | (7.8 - 12.3) | 886 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 12 students who were excluded from the analysis for QN21.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN22: Percentage of students who have ever been physically forced to have sexual intercourse when they did not want to

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 9.4 | (7.6 - 11.6) | 2,309 | 5.3 | (3.8 - 7.4) | 1,065 | 13.2 | (11.0 - 15.7) | 1,219 |
| Age | | | | | | | | | | |
| | 15 or younger | 8.1 | (5.4 - 12.0) | 688 | 4.7 | (1.9 - 10.8) | 312 | 10.4 | (8.0 - 13.3) | 368 |
| | 16 or 17 | 9.1 | (7.0 - 11.7) | 1,202 | 4.4 | (2.6 - 7.2) | 554 | 13.8 | (10.9 - 17.3) | 645 |
| | 18 or older | 11.6 | (7.7 - 17.2) | 407 | 8.4 | (5.3 - 12.9) | 199 | 15.4 | (9.6 - 23.9) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 8.3 | (5.3 - 12.8) | 702 | 4.9 | (1.9 - 12.0) | 327 | 11.7 | (8.8 - 15.5) | 371 |
| | 10th | 8.3 | (5.8 - 11.8) | 615 | 4.2 | (1.9 - 9.2) | 296 | 12.1 | (8.8 - 16.5) | 316 |
| | 11th | 10.1 | (7.0 - 14.3) | 552 | 5.8 | (2.9 - 11.3) | 242 | 14.6 | (9.7 - 21.3) | 307 |
| | 12th | 10.2 | (6.7 - 15.4) | 414 | 6.5 | (3.8 - 11.1) | 192 | 14.2 | (8.7 - 22.2) | 219 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 11.8 | (7.1 - 19.1) | 247 | 7.5 | (2.9 - 17.9) | 110 | 16.8 | (11.0 - 24.8) | 135 |
| | Hispanic/Latino | 14.9 | (10.0 - 21.6) | 222 | 11.6 | (5.5 - 22.6) | 101 | 17.3 | (11.5 - 25.3) | 119 |
| | White* | 8.5 | (6.6 - 11.0) | 1,668 | 4.5 | (3.0 - 6.7) | 780 | 12.5 | (10.1 - 15.5) | 884 |
| | All other races | - | - | 69 | - | - | 35 | - | - | 33 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 22 students who were excluded from the analysis for QN22.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN23: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months

| | | Total | | Male | | | Female | | | |
|----------------|-----------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | | 27.5 | (24.3 - 31.0) | 2,321 | 18.7 | (15.7 - 22.0) | 1,073 | 36.2 | (32.3 - 40.3) | 1,222 |
| Age | | | | | | | | | | |
| 15 or y | ounger | 26.3 | (21.8 - 31.5) | 689 | 15.9 | (11.4 - 21.7) | 314 | 36.9 | (30.4 - 44.0) | 368 |
| 16 or 1 | - | 28.6 | (25.0 - 32.6) | 1,208 | 19.8 | (16.8 - 23.3) | 559 | 37.4 | (32.5 - 42.6) | 646 |
| 18 or o | lder | 25.4 | (19.9 - 31.8) | 411 | 19.3 | (12.2 - 29.3) | 200 | 31.8 | (26.8 - 37.2) | 206 |
| Grade | | | | | | | | | | |
| 9th | | 28.6 | (22.8 - 35.2) | 704 | 18.0 | (12.8 - 24.8) | 328 | 39.6 | (32.0 - 47.8) | 371 |
| 10th | | 28.5 | (24.6 - 32.8) | 619 | 19.2 | (15.6 - 23.3) | 300 | 38.2 | (31.9 - 45.0) | 317 |
| 11th | | 28.8 | (24.4 - 33.7) | 554 | 20.4 | (15.1 - 26.9) | 244 | 36.9 | (30.9 - 43.3) | 307 |
| 12th | | 23.0 | (18.1 - 28.7) | 417 | 17.0 | (10.5 - 26.3) | 193 | 28.6 | (24.8 - 32.8) | 221 |
| Race/Ethnicity | | | | | | | | | | |
| Black* | | 31.1 | (26.0 - 36.7) | 249 | 22.3 | (16.0 - 30.1) | 111 | 39.0 | (31.7 - 46.8) | 136 |
| Hispan | ic/Latino | 34.4 | (26.8 - 42.9) | 221 | 21.4 | (15.2 - 29.1) | 101 | 46.0 | (35.7 - 56.6) | 118 |
| White* | : | 26.1 | (22.1 - 30.5) | 1,675 | 17.8 | (14.2 - 22.1) | 785 | 34.6 | (30.3 - 39.1) | 886 |
| All oth | er races | - | - | 69 | - | - | 35 | - | - | 33 |
| Multip | le races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 10 students who were excluded from the analysis for QN23.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN24: Percentage of students who seriously considered attempting suicide during the past 12 months

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 15.8 | (13.2 - 18.8) | 2,320 | 12.4 | (9.9 - 15.4) | 1,071 | 19.1 | (15.5 - 23.4) | 1,223 |
| Age | | | | | | | | | | |
| | 15 or younger | 18.7 | (14.1 - 24.4) | 691 | 14.2 | (8.8 - 22.2) | 314 | 22.5 | (17.4 - 28.6) | 370 |
| | 16 or 17 | 15.4 | (12.9 - 18.4) | 1,206 | 11.2 | (9.1 - 13.6) | 557 | 19.9 | (15.4 - 25.2) | 646 |
| | 18 or older | 12.8 | (10.0 - 16.2) | 410 | 12.8 | (8.7 - 18.6) | 200 | 12.5 | (9.0 - 17.3) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 18.9 | (13.9 - 25.2) | 706 | 13.7 | (8.1 - 22.2) | 328 | 23.9 | (18.2 - 30.8) | 373 |
| | 10th | 17.0 | (12.5 - 22.7) | 617 | 11.3 | (8.3 - 15.3) | 298 | 22.8 | (15.5 - 32.3) | 317 |
| | 11th | 12.9 | (10.0 - 16.5) | 553 | 11.6 | (7.9 - 16.8) | 244 | 14.4 | (10.7 - 19.2) | 306 |
| | 12th | 12.9 | (10.2 - 16.3) | 417 | 12.5 | (8.1 - 18.8) | 193 | 13.5 | (9.7 - 18.4) | 221 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 11.8 | (7.3 - 18.7) | 251 | 9.2 | (5.2 - 15.7) | 111 | 14.9 | (7.6 - 27.2) | 138 |
| | Hispanic/Latino | 19.0 | (13.4 - 26.4) | 221 | 17.5 | (10.2 - 28.4) | 100 | 19.8 | (14.1 - 26.9) | 119 |
| | White* | 15.8 | (12.8 - 19.3) | 1,673 | 12.0 | (9.3 - 15.5) | 785 | 19.5 | (15.3 - 24.5) | 884 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 11 students who were excluded from the analysis for QN24.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN25: Percentage of students who made a plan about how they would attempt suicide during the past 12 months

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 11.7 | (9.5 - 14.2) | 2,315 | 9.9 | 7.5 - 12.9) | 1,071 | 13.1 | (10.5 - 16.3) | 1,220 |
| Age | | | | | | | | | | |
| | 15 or younger | 13.6 | (9.9 - 18.5) | 689 | 11.9 | 7.3 - 18.9) | 313 | 14.9 | (10.6 - 20.6) | 369 |
| | 16 or 17 | 10.7 | (8.8 - 13.0) | 1,206 | 8.3 | 6.8 - 10.1) | 558 | 13.1 | (10.1 - 17.0) | 645 |
| | 18 or older | 10.8 | (8.3 - 13.9) | 408 | 11.1 | 6.8 - 17.5) | 200 | 10.7 | (8.1 - 14.0) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 13.3 | (9.2 - 18.9) | 703 | 10.9 | 6.3 - 18.2) | 327 | 15.6 | (10.9 - 22.0) | 372 |
| | 10th | 12.4 | (9.1 - 16.6) | 621 | 10.6 | 7.7 - 14.3) | 300 | 14.2 | (9.4 - 21.0) | 318 |
| | 11th | 10.5 | (7.7 - 14.1) | 551 | 9.0 | 6.0 - 13.3) | 243 | 12.1 | (8.2 - 17.6) | 305 |
| | 12th | 9.0 | (6.9 - 11.8) | 415 | 8.6 | 4.9 - 14.6) | 193 | 9.6 | (6.5 - 13.9) | 219 |
| Race/Et | nnicity | | | | | | | | | |
| | Black* | 9.6 | (5.3 - 16.8) | 246 | 4.9 | 1.9 - 11.7) | 109 | 14.8 | (8.6 - 24.3) | 135 |
| | Hispanic/Latino | 15.7 | (10.8 - 22.4) | 222 | 11.3 | 6.0 - 20.4) | 101 | 19.3 | (13.2 - 27.3) | 119 |
| | White* | 11.3 | (9.1 - 13.8) | 1,675 | 10.0 | 7.4 - 13.3) | 786 | 12.5 | (9.7 - 16.1) | 885 |
| | All other races | - | - | 68 | - | - | 35 | - | - | 32 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 16 students who were excluded from the analysis for QN25.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN26: Percentage of students who actually attempted suicide one or more times during the past 12 months

| | | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------|-----------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-------|
| | Total | 7.2 | (5.9 - 8.9) | 2,057 | 5.1 (| 3.5 - 7.4) | 936 | 8.9 | (7.4 - 10.8) | 1,100 |
| Age | | | | | | | | | | |
| | 15 or younger | 8.4 | (6.2 - 11.2) | 612 | 7.1 (| 4.2 - 11.8) | 277 | 8.6 | (6.1 - 11.8) | 329 |
| | 16 or 17 | 7.4 | (5.9 - 9.3) | 1,065 | 4.7 (| 3.1 - 6.9) | 485 | 10.0 | (7.8 - 12.8) | 579 |
| | 18 or older | 5.1 | (2.9 - 8.6) | 369 | 3.6 (| 1.3 - 9.7) | 174 | 6.7 | (3.9 - 11.2) | 191 |
| Grade | | | | | | | | | | |
| | 9th | 9.0 | (6.6 - 12.2) | 619 | 7.3 (| 4.3 - 12.1) | 286 | 10.6 | (7.5 - 14.8) | 329 |
| | 10th | 7.8 | (5.9 - 10.1) | 537 | 5.4 (| 3.6 - 8.2) | 256 | 10.1 | (7.4 - 13.7) | 281 |
| | 11th | 6.9 | (4.4 - 10.5) | 500 | 4.5 (| 1.9 - 10.2) | 213 | 8.6 | (5.9 - 12.4) | 285 |
| | 12th | 3.9 | (2.3 - 6.6) | 377 | 2.0 (| 0.7 - 5.9) | 173 | 5.5 | (3.1 - 9.4) | 201 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 7.9 | (5.1 - 11.9) | 196 | - | - | 86 | 9.4 | (6.2 - 14.0) | 109 |
| | Hispanic/Latino | 17.9 | (11.3 - 27.2) | 182 | - | - | 79 | 20.2 | (13.8 - 28.6) | 101 |
| | White* | 5.9 | (4.5 - 7.8) | 1,529 | 4.0 (| 2.4 - 6.5) | 710 | 7.9 | (6.1 - 10.2) | 815 |
| | All other races | - | - | 59 | - | - | 29 | - | - | 30 |
| | Multiple races | - | - | 52 | - | - | 20 | - | - | 32 |

Note: There were 274 students who were excluded from the analysis for QN26.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN27: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse

| | | Total | | Male | | | Female | | |
|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-------|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 2.9 | (2.1 - 4.1) | 2,037 | 2.0 | (0.9 - 4.2) | 924 | 3.6 | (2.7 - 4.7) | 1,092 |
| Age | | | | | | | | | |
| 15 or younger | 2.5 | (1.2 - 4.9) | 607 | 2.2 | (0.6 - 7.6) | 274 | 2.5 | (1.2 - 5.3) | 327 |
| 16 or 17 | | (2.5 - 4.7) | 1,055 | 2.1 | (1.1 - 3.9) | 480 | 4.8 | (3.6 - 6.4) | 574 |
| 18 or older | 1.9 | (0.7 - 4.6) | 364 | 1.5 | (0.3 - 7.8) | 170 | 1.8 | (0.7 - 4.1) | 190 |
| Grade | | | | | | | | | |
| 9th | 3.1 | (2.1 - 4.8) | 615 | 2.2 | (0.8 - 5.9) | 284 | 3.7 | (2.1 - 6.5) | 326 |
| 10th | 2.8 | (1.5 - 5.2) | 530 | 1.4 | (0.6 - 3.3) | 253 | 4.3 | (2.3 - 7.8) | 277 |
| 11th | 3.8 | (1.8 - 7.7) | 496 | 3.3 | (1.1 - 9.5) | 209 | 4.2 | (2.2 - 7.8) | 285 |
| 12th | 0.9 | (0.3 - 2.5) | 373 | 0.4 | (0.0 - 2.8) | 170 | 1.4 | (0.5 - 3.9) | 200 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 2.1 | (1.0 - 4.0) | 191 | - | - | 83 | 2.6 | (0.8 - 7.6) | 107 |
| Hispanic/Latino | 8.6 | (3.9 - 18.0) | 179 | - | - | 77 | 6.0 | (2.7 - 13.0) | 100 |
| White* | 2.5 | (1.6 - 3.8) | 1,523 | 1.6 | (0.7 - 3.6) | 706 | 3.4 | (2.4 - 4.8) | 813 |
| All other races | - | - | 58 | - | - | 29 | - | - | 29 |
| Multiple races | - | - | 51 | - | - | 20 | - | - | 31 |

Note: There were 294 students who were excluded from the analysis for QN27.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN28: Percentage of students who ever tried cigarette smoking, even one or two puffs

| | | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------|-----------------|------------|-------------------------------|-------|------------|---------------------------------------|-------|------------|--------------------------------|-------|
| | Total | 53.3 | (48.8 - 57.7) | 2,258 | 56.1 | (50.8 - 61.3) | 1,044 | 50.0 | (45.5 - 54.5) | 1,195 |
| Age | | | | | | | | | | |
| _ | 15 or younger | 44.9 | (39.0 - 51.0) | 674 | 46.6 | (36.7 - 56.8) | 304 | 42.9 | (35.4 - 50.8) | 367 |
| | 16 or 17 | 52.8 | (48.5 - 57.1) | 1,170 | 55.2 | (49.9 - 60.4) | 540 | 50.5 | (45.5 - 55.4) | 628 |
| | 18 or older | 64.5 | (56.2 - 72.0) | 402 | 69.9 | (60.6 - 77.8) | 200 | 58.7 | (50.4 - 66.5) | 199 |
| Grade | | | | | | | | | | |
| | 9th | 46.9 | (40.3 - 53.6) | 688 | 48.8 | (37.7 - 60.1) | 318 | 44.8 | (37.5 - 52.4) | 368 |
| | 10th | 49.7 | (43.5 - 55.8) | 606 | 53.4 | (44.8 - 61.7) | 292 | 46.0 | (39.6 - 52.5) | 313 |
| | 11th | 54.2 | (49.4 - 58.9) | 532 | 54.6 | (47.7 - 61.3) | 235 | 53.4 | (47.3 - 59.3) | 295 |
| | 12th | 64.0 | (54.4 - 72.6) | 409 | 69.5 | (58.2 - 78.9) | 192 | 58.6 | (49.5 - 67.1) | 214 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 57.6 | (50.8 - 64.2) | 233 | 59.0 | (50.2 - 67.3) | 103 | 55.3 | (45.0 - 65.2) | 128 |
| | Hispanic/Latino | 61.3 | (54.6 - 67.6) | 215 | - | - | 97 | 58.7 | (46.5 - 70.0) | 117 |
| | White* | 51.8 | (46.4 - 57.2) | 1,653 | 55.1 | (48.8 - 61.3) | 773 | 48.5 | (43.2 - 53.8) | 877 |
| | All other races | - | - | 66 | - | - | 34 | - | - | 31 |
| | Multiple races | - | - | 49 | - | - | 20 | - | - | 29 |

Note: There were 73 students who were excluded from the analysis for QN28.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN29: Percentage of students who smoked a whole cigarette for the first time before age 13 years

| | | | Total | | | Male | | | Female | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 16.0 | (13.6 - 18.7) | 2,249 | 18.0 | (15.4 - 21.0) | 1,039 | 13.3 | (10.3 - 16.9) | 1,187 |
| Age | | | | | | | | | | |
| | 15 or younger | 14.9 | (11.7 - 18.8) | 670 | 14.6 | (9.7 - 21.3) | 302 | 14.9 | (10.8 - 20.1) | 364 |
| | 16 or 17 | 16.7 | (13.4 - 20.6) | 1,165 | 19.3 | (15.4 - 24.0) | 539 | 14.0 | (10.4 - 18.6) | 624 |
| | 18 or older | 15.0 | (11.6 - 19.2) | 401 | 19.3 | (14.9 - 24.6) | 198 | 9.1 | (6.1 - 13.4) | 198 |
| Grade | | | | | | | | | | |
| | 9th | 16.8 | (13.0 - 21.5) | 683 | 16.8 | (11.5 - 23.9) | 316 | 16.6 | (11.9 - 22.7) | 364 |
| | 10th | 16.1 | (13.0 - 19.7) | 601 | 18.5 | (13.7 - 24.5) | 289 | 13.6 | (10.3 - 17.7) | 310 |
| | 11th | 16.4 | (12.1 - 21.8) | 530 | 20.1 | (14.3 - 27.4) | 236 | 12.7 | (7.8 - 20.0) | 292 |
| | 12th | 13.1 | (9.5 - 17.7) | 409 | 16.9 | (12.6 - 22.2) | 191 | 9.3 | (6.5 - 13.2) | 215 |
| Race/Etl | nnicity | | | | | | | | | |
| | Black* | 14.3 | (8.6 - 22.7) | 231 | 15.9 | (6.9 - 32.4) | 101 | 12.9 | (8.1 - 20.0) | 128 |
| | Hispanic/Latino | 24.7 | (19.3 - 31.1) | 211 | - | - | 96 | 26.0 | (17.2 - 37.4) | 114 |
| | White* | 15.1 | (12.5 - 18.1) | 1,648 | 17.7 | (14.7 - 21.1) | 772 | 12.5 | (9.4 - 16.5) | 873 |
| | All other races | - | - | 64 | - | - | 33 | - | - | 30 |
| | Multiple races | - | - | 50 | - | - | 21 | - | - | 29 |

Note: There were 82 students who were excluded from the analysis for QN29.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN30: Percentage of students who smoked cigarettes on one or more of the past 30 days

| | | | Total | | | Male | | | Female | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 22.5 | (17.8 - 27.9) | 2,224 | 24.6 | (19.4 - 30.6) | 1,019 | 19.9 | (15.2 - 25.5) | 1,185 |
| Age | | | | | | | | | | |
| | 15 or younger | 15.6 | (11.2 - 21.3) | 668 | 16.0 | (9.7 - 25.2) | 301 | 15.0 | (9.8 - 22.1) | 363 |
| | 16 or 17 | 22.2 | (17.5 - 27.8) | 1,151 | 23.8 | (19.5 - 28.7) | 525 | 20.7 | (14.6 - 28.5) | 624 |
| | 18 or older | 31.2 | (23.9 - 39.6) | 394 | 37.3 | (28.4 - 47.1) | 193 | 24.7 | (18.7 - 31.8) | 197 |
| Grade | | | | | | | | | | |
| | 9th | 16.9 | (12.3 - 22.6) | 678 | 17.0 | (10.4 - 26.5) | 309 | 16.6 | (11.2 - 23.9) | 365 |
| | 10th | 20.6 | (15.4 - 27.1) | 590 | 20.9 | (16.0 - 26.7) | 281 | 20.4 | (13.8 - 29.0) | 308 |
| | 11th | 23.3 | (18.8 - 28.4) | 531 | 26.2 | (21.2 - 32.0) | 235 | 20.0 | (13.0 - 29.6) | 293 |
| | 12th | 30.0 | (20.8 - 41.1) | 402 | 36.4 | (24.2 - 50.6) | 186 | 23.4 | (16.7 - 31.7) | 213 |
| Race/Etl | nnicity | | | | | | | | | |
| | Black* | 15.6 | (11.2 - 21.2) | 235 | 20.7 | (14.9 - 28.0) | 102 | 10.5 | (5.9 - 18.1) | 131 |
| | Hispanic/Latino | 24.0 | (17.3 - 32.3) | 204 | - | - | 93 | 21.6 | (14.8 - 30.3) | 110 |
| | White* | 23.1 | (17.8 - 29.5) | 1,635 | 25.4 | (19.4 - 32.5) | 761 | 21.0 | (15.9 - 27.4) | 870 |
| | All other races | - | - | 62 | - | - | 30 | - | - | 31 |
| | Multiple races | - | - | 51 | - | - | 20 | - | - | 31 |

Note: There were 107 students who were excluded from the analysis for QN30.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QNFRCIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days

| | | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------|-----------------|------------|-------------------------------|-------|------------|---------------------------------------|-------|------------|---|-------|
| | Total | 10.8 | (8.4 - 13.7) | 2,224 | 11.0 | (8.6 - 13.9) | 1,019 | 10.4 | (7.5 - 14.2) | 1,185 |
| Age | | | | | | | | | | |
| | 15 or younger | 5.7 | (3.6 - 8.8) | 668 | 5.2 | (2.6 - 10.1) | 301 | 6.3 | (3.2 - 12.1) | 363 |
| | 16 or 17 | 10.9 | (8.4 - 13.9) | 1,151 | 10.8 | (8.1 - 14.4) | 525 | 10.9 | (7.6 - 15.6) | 624 |
| | 18 or older | 17.0 | (12.3 - 23.0) | 394 | 18.6 | (13.2 - 25.8) | 193 | 14.9 | (9.5 - 22.6) | 197 |
| Grade | | | | | | | | | | |
| | 9th | 7.0 | (4.7 - 10.3) | 678 | 6.0 | (3.1 - 11.2) | 309 | 7.7 | (4.5 - 13.0) | 365 |
| | 10th | 11.0 | (7.6 - 15.6) | 590 | 11.0 | (7.0 - 16.8) | 281 | 11.0 | (7.3 - 16.2) | 308 |
| | 11th | 10.5 | (8.0 - 13.6) | 531 | 11.3 | (8.3 - 15.2) | 235 | 9.8 | (5.6 - 16.3) | 293 |
| | 12th | 15.4 | (10.4 - 22.3) | 402 | 16.9 | (10.8 - 25.4) | 186 | 13.8 | (8.6 - 21.4) | 213 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 5.7 | (2.9 - 11.0) | 235 | 7.6 | (3.7 - 14.7) | 102 | 3.9 | (1.5 - 10.0) | 131 |
| | Hispanic/Latino | 12.0 | (7.4 - 18.7) | 204 | - | - | 93 | 9.5 | (5.0 - 17.5) | 110 |
| | White* | 11.4 | (8.8 - 14.7) | 1,635 | 11.5 | (8.9 - 14.7) | 761 | 11.4 | (8.1 - 15.7) | 870 |
| | All other races | - | - | 62 | - | - | 30 | - | - | 31 |
| | Multiple races | - | - | 51 | - | - | 20 | - | - | 31 |

Note: There were 107 students who were excluded from the analysis for QNFRCIG.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN31: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days

| | | Total | | | Male | | Female | | | |
|-------------|-----------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Т | otal | 13.2 | (11.0 - 15.9) | 479 | 15.1 | (12.1 - 18.7) | 238 | 11.0 | (7.0 - 16.7) | 232 |
| Age | | | | | | | | | | |
| 1: | 5 or younger | 12.0 | (6.4 - 21.4) | 107 | - | - | 50 | _ | - | 56 |
| | 6 or 17 | 13.8 | (9.9 - 18.9) | 249 | 16.3 | (10.4 - 24.6) | 120 | 11.0 | (6.7 - 17.4) | 129 |
| 13 | 8 or older | 12.9 | (7.0 - 22.8) | 116 | - | - | 68 | - | - | 47 |
| Grade | | | | | | | | | | |
| 9 | 9th | 14.4 | (8.3 - 24.0) | 121 | - | - | 55 | - | - | 65 |
| 10 | Oth | 13.9 | (8.8 - 21.2) | 121 | - | - | 58 | - | - | 63 |
| 1 | 1th | 13.4 | (8.5 - 20.4) | 116 | - | - | 60 | - | - | 55 |
| 12 | 2th | 10.7 | (6.6 - 16.9) | 109 | - | - | 60 | - | - | 48 |
| Race/Ethnic | city | | | | | | | | | |
| В | lack* | - | - | 32 | - | - | 19 | - | - | 13 |
| Н | lispanic/Latino | - | - | 47 | - | - | 27 | - | - | 20 |
| W | Vhite* | 13.9 | (10.8 - 17.6) | 365 | 16.4 | (12.8 - 20.8) | 181 | 10.8 | (6.3 - 17.9) | 184 |
| A | ll other races | - | - | 13 | - | - | 7 | - | - | 6 |
| N | Iultiple races | - | - | 9 | - | - | 3 | - | - | 6 |

Note: There were 1852 students who were excluded from the analysis for QN31.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN32: Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days

| | | Total | | Male | | | Female | | | |
|-----------|-----------------|------------|-------------------------------|------|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 15.1 | (12.0 - 18.9) | 353 | 20.7 | (14.1 - 29.2) | 167 | 9.2 | (5.2 - 15.9) | 185 |
| Age | | | | | | | | | | |
| | 15 or younger | 4.3 | (1.9 - 9.8) | 106 | - | - | 48 | - | - | 57 |
| | 16 or 17 | 19.2 | (15.5 - 23.6) | 247 | 26.4 | (18.7 - 35.7) | 119 | 11.1 | (5.9 - 20.0) | 128 |
| | 18 or older | - | - | 0 | - | - | 0 | - | - | 0 |
| Grade | | | | | | | | | | |
| | 9th | 4.6 | (2.1 - 9.7) | 118 | - | - | 53 | - | - | 65 |
| | 10th | 15.8 | (9.8 - 24.4) | 117 | - | - | 56 | - | - | 61 |
| | 11th | - | - | 98 | - | - | 47 | - | - | 50 |
| | 12th | - | - | 18 | - | - | 9 | - | - | 9 |
| Race/Ethn | icity | | | | | | | | | |
| | Black* | - | - | 18 | - | - | 9 | - | - | 9 |
| | Hispanic/Latino | - | - | 39 | - | - | 20 | - | - | 19 |
| | White* | 15.7 | (11.8 - 20.5) | 274 | 21.8 | (14.2 - 31.8) | 130 | 9.0 | (5.0 - 15.6) | 144 |
| | All other races | - | - | 11 | - | - | 6 | - | - | 5 |
| | Multiple races | - | - | 7 | - | - | 2 | - | - | 5 |

Note: There were 1978 students who were excluded from the analysis for QN32.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN33: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days

| | | | Total | | | Male | | | Female | |
|-----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 7.0 | (5.3 - 9.3) | 2,288 | 8.7 | (6.4 - 11.8) | 1,052 | 5.0 | (3.5 - 7.0) | 1,214 |
| Age | | | | | | | | | | |
| | 15 or younger | 4.0 | (3.0 - 5.4) | 683 | 4.1 | (2.3 - 7.0) | 309 | 3.6 | (1.6 - 7.7) | 369 |
| | 16 or 17 | 6.6 | (4.9 - 8.8) | 1,185 | 7.7 | (5.6 - 10.4) | 543 | 5.5 | (3.3 - 9.0) | 640 |
| | 18 or older | 11.7 | (7.7 - 17.5) | 408 | 17.1 | (10.4 - 26.8) | 200 | 5.5 | (2.7 - 11.1) | 204 |
| Grade | | | | | | | | | | |
| | 9th | 5.0 | (3.8 - 6.7) | 699 | 4.6 | (2.5 - 8.2) | 321 | 5.2 | (2.8 - 9.4) | 373 |
| | 10th | 6.3 | (4.2 - 9.3) | 605 | 7.6 | (4.9 - 11.7) | 291 | 5.0 | (2.7 - 9.0) | 313 |
| | 11th | 6.9 | (4.6 - 10.3) | 545 | 8.1 | (4.9 - 13.3) | 239 | 5.2 | (2.3 - 11.2) | 303 |
| | 12th | 10.0 | (6.0 - 16.3) | 415 | 15.9 | (9.5 - 25.5) | 193 | 4.1 | (1.9 - 8.4) | 219 |
| Race/Ethn | icity | | | | | | | | | |
| | Black* | 5.1 | (2.8 - 9.1) | 246 | 6.8 | (2.9 - 15.3) | 107 | 3.4 | (1.2 - 9.1) | 136 |
| | Hispanic/Latino | 10.9 | (5.8 - 19.6) | 214 | - | - | 97 | 8.6 | (4.0 - 17.8) | 116 |
| | White* | 7.0 | (5.0 - 9.7) | 1,665 | 8.8 | (6.2 - 12.5) | 777 | 5.1 | (3.5 - 7.4) | 884 |
| | All other races | - | - | 67 | - | - | 35 | - | - | 31 |
| | Multiple races | - | - | 53 | - | - | 21 | - | - | 32 |

Note: There were 43 students who were excluded from the analysis for QN33.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN34: Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days

| | | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------|-----------------|------------|--|-------|------------|---------------------------------------|-------|------------|---|-------|
| | Total | 15.8 | (12.8 - 19.4) | 2,276 | 15.6 | (12.4 - 19.6) | 1,051 | 15.5 | (11.9 - 19.9) | 1,202 |
| Age | | | | | | | | | | |
| | 15 or younger | 10.7 | (8.2 - 13.9) | 683 | 10.4 | (6.7 - 15.9) | 309 | 10.2 | (6.1 - 16.6) | 367 |
| | 16 or 17 | 15.7 | (12.9 - 19.1) | 1,178 | 14.5 | (11.6 - 17.9) | 544 | 17.1 | (12.6 - 22.8) | 632 |
| | 18 or older | 22.0 | (14.8 - 31.3) | 403 | 25.1 | (16.7 - 35.8) | 198 | 18.9 | (11.5 - 29.5) | 202 |
| Grade | | | | | | | | | | |
| | 9th | 10.9 | (7.9 - 14.9) | 694 | 10.6 | (6.5 - 16.9) | 322 | 11.3 | (6.9 - 18.0) | 369 |
| | 10th | 17.3 | (13.4 - 22.0) | 610 | 15.6 | (11.4 - 21.1) | 294 | 19.0 | (13.9 - 25.4) | 313 |
| | 11th | 13.9 | (10.6 - 18.1) | 536 | 14.9 | (11.3 - 19.3) | 236 | 12.6 | (7.3 - 20.7) | 297 |
| | 12th | 21.5 | (14.3 - 31.0) | 411 | 22.8 | (13.6 - 35.6) | 191 | 20.0 | (12.7 - 30.1) | 217 |
| Race/Ethn | icity | | | | | | | | | |
| | Black* | 9.7 | (6.0 - 15.4) | 238 | 10.8 | (6.0 - 18.5) | 104 | 8.9 | (4.4 - 17.1) | 131 |
| | Hispanic/Latino | 17.7 | (12.3 - 24.6) | 215 | - | - | 99 | 13.2 | (7.6 - 22.0) | 115 |
| | White* | 16.3 | (13.0 - 20.3) | 1,660 | 16.1 | (12.3 - 20.9) | 776 | 16.6 | (12.7 - 21.5) | 881 |
| | All other races | - | - | 66 | - | - | 35 | - | - | 30 |
| | Multiple races | - | - | 52 | - | - | 21 | - | - | 31 |

Note: There were 55 students who were excluded from the analysis for QN34.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN35: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months

| | | Total | | | | Male | | Female | | | |
|---------|-----------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 55.8 | (49.4 - 62.0) | 477 | 50.2 | (43.1 - 57.4) | 238 | 61.9 | (53.5 - 69.7) | 231 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 52.4 | (44.4 - 60.4) | 105 | - | - | 49 | - | - | 56 | |
| | 16 or 17 | 56.8 | (48.6 - 64.6) | 250 | 55.5 | (43.0 - 67.3) | 121 | 58.2 | (47.7 - 68.0) | 129 | |
| | 18 or older | 55.3 | (43.2 - 66.8) | 115 | - | - | 68 | - | - | 46 | |
| Grade | | | | | | | | | | | |
| | 9th | 53.2 | (44.3 - 61.8) | 120 | - | - | 54 | - | - | 65 | |
| | 10th | 58.5 | (49.4 - 67.0) | 122 | - | - | 59 | - | - | 63 | |
| | 11th | 56.3 | (41.4 - 70.1) | 115 | - | - | 60 | - | - | 55 | |
| | 12th | 53.8 | (42.8 - 64.5) | 108 | - | - | 60 | - | - | 47 | |
| Race/Et | hnicity | | | | | | | | | | |
| | Black* | - | - | 30 | - | - | 18 | - | - | 12 | |
| | Hispanic/Latino | - | - | 48 | - | - | 27 | - | - | 21 | |
| | White* | 55.6 | (49.3 - 61.8) | 365 | 51.0 | (44.1 - 57.8) | 182 | 61.4 | (52.5 - 69.5) | 183 | |
| | All other races | - | - | 13 | - | - | 7 | - | - | 6 | |
| | Multiple races | - | - | 9 | - | - | 3 | - | - | 6 | |

Note: There were 1854 students who were excluded from the analysis for QN35.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN36: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days

| | | Percentage | Total e 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------|-----------------|------------|---------------------------------|-------|------------|---------------------------------------|-------|------------|--------------------------------|-------|
| | Total | 10.7 | (8.9 - 12.7) | 2,302 | 17.4 | (14.7 - 20.5) | 1,059 | 3.3 | (2.3 - 4.6) | 1,220 |
| Age | | | | | | | | | | |
| | 15 or younger | 7.6 | (5.8 - 9.9) | 683 | 12.2 | (9.3 - 15.9) | 309 | 2.2 | (1.0 - 5.0) | 369 |
| | 16 or 17 | 10.7 | (8.7 - 13.2) | 1,199 | 16.9 | (13.3 - 21.2) | 552 | 4.5 | (3.2 - 6.3) | 644 |
| | 18 or older | 13.8 | (9.5 - 19.6) | 407 | 25.2 | (18.2 - 33.7) | 198 | 1.1 | (0.3 - 4.1) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 9.2 | (7.1 - 11.9) | 702 | 14.1 | (10.4 - 19.0) | 323 | 3.4 | (2.0 - 5.7) | 374 |
| | 10th | 10.3 | (7.3 - 14.4) | 613 | 16.1 | (11.6 - 21.8) | 296 | 4.4 | (2.4 - 7.8) | 315 |
| | 11th | 9.2 | (6.7 - 12.6) | 548 | 14.7 | (10.4 - 20.5) | 241 | 3.8 | (1.7 - 8.0) | 305 |
| | 12th | 13.6 | (8.8 - 20.2) | 414 | 26.0 | (18.7 - 34.9) | 191 | 1.0 | (0.2 - 4.6) | 220 |
| Race/Etl | hnicity | | | | | | | | | |
| | Black* | 4.8 | (1.6 - 13.6) | 246 | 7.9 | (2.9 - 20.0) | 108 | 1.6 | (0.2 - 10.7) | 136 |
| | Hispanic/Latino | 9.9 | (5.5 - 17.2) | 219 | 13.9 | (6.8 - 26.1) | 100 | 6.0 | (2.6 - 13.2) | 118 |
| | White* | 11.1 | (9.0 - 13.7) | 1,668 | 18.7 | (15.4 - 22.5) | 778 | 3.3 | (2.4 - 4.7) | 886 |
| | All other races | - | - | 69 | - | - | 35 | - | - | 33 |
| | Multiple races | - | - | 54 | - | - | 21 | - | - | 33 |

Note: There were 29 students who were excluded from the analysis for QN36.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN37: Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days

| | | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------|-----------------|------------|-------------------------------|-------|------------|---------------------------------------|-------|------------|---|-------|
| | Total | 5.5 | (4.4 - 6.9) | 2,293 | 9.3 | (6.9 - 12.3) | 1,052 | 1.2 | (0.7 - 2.1) | 1,218 |
| Age | | | | | | | | | | |
| | 15 or younger | 3.3 | (1.5 - 6.9) | 684 | 5.8 (| (2.4 - 13.1) | 310 | 0.5 | (0.1 - 2.1) | 369 |
| | 16 or 17 | 6.0 | (4.7 - 7.5) | 1,190 | 10.1 (| (7.4 - 13.7) | 546 | 1.7 | (1.0 - 2.9) | 642 |
| | 18 or older | 6.5 | (4.4 - 9.4) | 405 | 11.6 | (7.5 - 17.4) | 196 | 0.5 | (0.1 - 2.1) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 4.2 | (1.8 - 9.3) | 700 | 6.3 | (2.4 - 15.8) | 322 | 1.1 | (0.3 - 3.4) | 373 |
| | 10th | 4.3 | (2.6 - 7.2) | 610 | 7.6 (| (4.6 - 12.3) | 294 | 1.0 | (0.1 - 6.4) | 314 |
| | 11th | 6.6 | (4.5 - 9.5) | 546 | 11.2 | (7.2 - 16.9) | 240 | 2.0 | (0.6 - 7.2) | 305 |
| | 12th | 6.6 | (3.8 - 11.2) | 411 | 12.7 | 7.4 - 20.9) | 188 | 0.4 | (0.1 - 3.7) | 220 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 1.1 | (0.2 - 4.5) | 243 | 1.2 (| (0.1 - 9.5) | 106 | 0.9 | (0.1 - 6.1) | 136 |
| | Hispanic/Latino | 9.0 | (4.8 - 16.4) | 218 | - | - | 99 | 5.4 | (2.2 - 12.7) | 118 |
| | White* | 5.6 | (4.2 - 7.4) | 1,664 | 10.0 | (7.2 - 13.8) | 775 | 1.0 | (0.6 - 1.7) | 885 |
| | All other races | - | - | 68 | - | - | 35 | - | - | 32 |
| | Multiple races | - | - | 54 | - | - | 21 | - | - | 33 |

Note: There were 38 students who were excluded from the analysis for QN37.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN38: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 17.7 | (16.2 - 19.4) | 2,318 | 22.9 | (21.1 - 24.9) | 1,068 | 11.7 | (9.8 - 14.0) | 1,225 |
| Age | | | | | | | | | | |
| | 15 or younger | 14.1 | (10.8 - 18.2) | 695 | 16.4 | (11.0 - 23.7) | 315 | 10.6 | (7.7 - 14.4) | 371 |
| | 16 or 17 | 17.4 | (15.4 - 19.6) | 1,202 | 23.1 | (21.0 - 25.4) | 555 | 11.5 | (9.1 - 14.5) | 645 |
| | 18 or older | 22.7 | (18.5 - 27.7) | 409 | 30.8 | (24.9 - 37.4) | 198 | 13.9 | (8.6 - 21.6) | 207 |
| Grade | | | | | | | | | | |
| | 9th | 14.5 | (11.4 - 18.4) | 707 | 17.7 | (12.0 - 25.3) | 327 | 10.6 | (8.0 - 14.0) | 374 |
| | 10th | 14.5 | (11.5 - 18.2) | 617 | 18.2 | (14.6 - 22.5) | 298 | 10.8 | (7.1 - 16.0) | 316 |
| | 11th | 20.8 | (17.6 - 24.4) | 553 | 28.6 | (24.1 - 33.5) | 244 | 12.6 | (8.3 - 18.6) | 307 |
| | 12th | 21.0 | (16.5 - 26.3) | 416 | 28.8 | (22.6 - 35.9) | 191 | 13.3 | (7.9 - 21.6) | 222 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 20.2 | (15.8 - 25.5) | 249 | 21.5 | (16.2 - 27.9) | 110 | 19.2 | (12.5 - 28.3) | 137 |
| | Hispanic/Latino | 20.6 | (15.0 - 27.6) | 221 | 22.5 | (15.1 - 32.1) | 100 | 17.8 | (12.4 - 25.0) | 119 |
| | White* | 16.7 | (14.8 - 18.8) | 1,674 | 23.3 | (20.9 - 25.8) | 783 | 10.0 | (8.0 - 12.4) | 887 |
| | All other races | - | - | 69 | - | - | 35 | - | - | 33 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 13 students who were excluded from the analysis for QN38.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 29.3 | (24.7 - 34.3) | 2,202 | 34.4 | (29.6 - 39.5) | 1,005 | 23.8 | (19.2 - 29.1) | 1,180 |
| Age | | | | | | | | | | |
| | 15 or younger | 19.5 | (14.7 - 25.4) | 662 | 21.7 | (15.3 - 29.9) | 298 | 17.3 | (12.1 - 24.0) | 361 |
| | 16 or 17 | 29.8 | (25.3 - 34.6) | 1,140 | 34.1 | (29.9 - 38.7) | 518 | 25.5 | (20.0 - 32.0) | 621 |
| | 18 or older | 40.3 | (32.6 - 48.5) | 390 | 51.2 | (43.0 - 59.4) | 189 | 28.7 | (21.4 - 37.4) | 197 |
| Grade | | | | | | | | | | |
| | 9th | 22.1 | (17.1 - 28.0) | 671 | 24.1 | (16.7 - 33.5) | 303 | 19.7 | (14.2 - 26.8) | 364 |
| | 10th | 25.4 | (19.8 - 32.0) | 584 | 27.9 | (22.2 - 34.5) | 278 | 23.0 | (16.2 - 31.6) | 305 |
| | 11th | 31.9 | (28.1 - 35.8) | 527 | 36.8 | (31.9 - 42.1) | 234 | 27.0 | (20.8 - 34.2) | 292 |
| | 12th | 39.5 | (30.3 - 49.6) | 398 | 52.5 | (41.9 - 62.8) | 182 | 26.6 | (19.0 - 36.1) | 213 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 24.6 | (18.4 - 32.0) | 230 | 26.8 | (21.0 - 33.5) | 100 | 22.7 | (14.0 - 34.5) | 129 |
| | Hispanic/Latino | 29.4 | (23.7 - 35.8) | 202 | - | - | 92 | 25.5 | (18.9 - 33.5) | 109 |
| | White* | 29.8 | (24.6 - 35.5) | 1,624 | 35.7 | (30.3 - 41.4) | 752 | 23.9 | (18.9 - 29.9) | 868 |
| | All other races | - | - | 62 | - | - | 30 | - | - | 31 |
| | Multiple races | - | - | 50 | - | - | 19 | - | - | 31 |

Note: There were 129 students who were excluded from the analysis for QNANYTOB.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN39: Percentage of students who had at least one drink of alcohol on one or more days during their life

| | | | Total | | | Male | | | Female | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 75.2 | (71.3 - 78.8) | 2,271 | 74.5 | (68.4 - 79.8) | 1,038 | 75.8 | (72.4 - 78.9) | 1,210 |
| Age | | | | | | | | | | |
| | 15 or younger | 68.2 | (61.5 - 74.3) | 680 | 67.9 | (56.9 - 77.1) | 308 | 68.4 | (62.3 - 73.9) | 367 |
| | 16 or 17 | 74.8 | (70.6 - 78.6) | 1,178 | 73.4 | (66.9 - 79.1) | 539 | 76.2 | (72.3 - 79.7) | 637 |
| | 18 or older | 85.3 | (80.2 - 89.3) | 400 | 85.8 | (80.5 - 89.8) | 191 | 84.8 | (76.4 - 90.6) | 204 |
| Grade | | | | | | | | | | |
| | 9th | 68.5 | (61.2 - 75.0) | 693 | 67.9 | (56.5 - 77.4) | 319 | 68.9 | (62.7 - 74.5) | 369 |
| | 10th | 71.3 | (65.5 - 76.4) | 606 | 69.9 | (61.1 - 77.5) | 290 | 72.7 | (67.2 - 77.6) | 314 |
| | 11th | 76.0 | (70.6 - 80.7) | 535 | 75.1 | (66.6 - 82.1) | 232 | 76.8 | (71.8 - 81.1) | 302 |
| | 12th | 87.8 | (83.9 - 90.9) | 411 | 88.6 | (84.8 - 91.5) | 189 | 87.3 | (80.5 - 92.0) | 219 |
| Race/Etl | nnicity | | | | | | | | | |
| | Black* | 68.5 | (62.0 - 74.3) | 235 | 65.8 | (58.6 - 72.3) | 101 | 71.3 | (62.0 - 79.1) | 132 |
| | Hispanic/Latino | 78.6 | (70.9 - 84.7) | 214 | - | - | 95 | 81.4 | (72.9 - 87.7) | 117 |
| | White* | 76.0 | (71.2 - 80.2) | 1,655 | 76.2 | (69.2 - 81.9) | 771 | 75.8 | (71.7 - 79.5) | 881 |
| | All other races | - | - | 66 | - | - | 33 | - | - | 32 |
| | Multiple races | - | - | 52 | - | - | 20 | - | - | 32 |

Note: There were 60 students who were excluded from the analysis for QN39.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN40: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years

| | | Total | | | Male | | Female | | | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 21.9 | (19.4 - 24.7) | 2,298 | 25.2 | (21.6 - 29.2) | 1,057 | 17.9 | (14.7 - 21.5) | 1,213 |
| Age | | | | | | | | | | |
| | 15 or younger | 28.8 | (25.9 - 32.0) | 684 | 33.5 | (29.3 - 38.0) | 309 | 23.7 | (18.2 - 30.3) | 366 |
| | 16 or 17 | 20.4 | (17.0 - 24.3) | 1,190 | 23.2 | (18.8 - 28.4) | 549 | 17.6 | (13.8 - 22.2) | 639 |
| | 18 or older | 15.5 | (11.0 - 21.4) | 410 | 19.4 | (14.0 - 26.3) | 199 | 10.6 | (6.7 - 16.5) | 206 |
| Grade | | | | | | | | | | |
| | 9th | 28.4 | (25.5 - 31.5) | 694 | 31.9 | (26.5 - 37.9) | 321 | 24.3 | (18.9 - 30.7) | 367 |
| | 10th | 22.1 | (18.1 - 26.6) | 610 | 26.7 | (20.8 - 33.5) | 294 | 17.2 | (12.9 - 22.5) | 313 |
| | 11th | 19.9 | (15.8 - 24.7) | 550 | 21.6 | (16.7 - 27.4) | 242 | 17.9 | (12.9 - 24.2) | 306 |
| | 12th | 14.8 | (10.5 - 20.6) | 417 | 18.8 | (13.4 - 25.7) | 192 | 10.7 | (6.9 - 16.3) | 222 |
| Race/Etl | nnicity | | | | | | | | | |
| | Black* | 21.9 | (17.3 - 27.3) | 247 | 23.5 | (15.8 - 33.4) | 108 | 19.5 | (14.2 - 26.2) | 137 |
| | Hispanic/Latino | 31.4 | (24.6 - 39.1) | 215 | - | - | 98 | 27.4 | (19.4 - 37.2) | 115 |
| | White* | 20.8 | (18.0 - 23.9) | 1,659 | 24.3 | (20.5 - 28.5) | 777 | 17.1 | (13.6 - 21.2) | 878 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 54 | - | - | 21 | - | - | 33 |

Note: There were 33 students who were excluded from the analysis for QN40.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN41: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days

| | | | Total | | | Male | | | Female | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 43.9 | (39.4 - 48.5) | 2,158 | 45.6 | (39.9 - 51.3) | 987 | 41.9 | (37.5 - 46.5) | 1,149 |
| Age | | | | | | | | | | |
| | 15 or younger | 33.9 | (30.3 - 37.7) | 648 | 34.8 | (27.5 - 42.8) | 293 | 33.3 | (28.8 - 38.1) | 351 |
| | 16 or 17 | 42.4 | (36.9 - 48.1) | 1,110 | 43.6 | (37.4 - 50.0) | 505 | 41.3 | (35.2 - 47.7) | 603 |
| | 18 or older | 59.6 | (52.3 - 66.4) | 388 | 63.4 | (54.4 - 71.5) | 189 | 55.6 | (47.5 - 63.3) | 194 |
| Grade | | | | | | | | | | |
| | 9th | 35.7 | (31.7 - 40.0) | 658 | 36.3 | (27.9 - 45.6) | 302 | 35.3 | (30.8 - 40.0) | 352 |
| | 10th | 38.3 | (32.0 - 45.0) | 573 | 42.0 | (33.8 - 50.7) | 272 | 34.7 | (28.2 - 41.9) | 300 |
| | 11th | 44.3 | (38.9 - 49.8) | 505 | 43.8 | (37.9 - 49.9) | 219 | 45.2 | (38.2 - 52.4) | 284 |
| | 12th | 59.1 | (51.1 - 66.7) | 397 | 62.9 | (53.3 - 71.6) | 186 | 55.5 | (47.3 - 63.5) | 208 |
| Race/Etl | nnicity | | | | | | | | | |
| | Black* | 29.3 | (22.9 - 36.6) | 218 | - | - | 95 | 31.4 | (21.5 - 43.2) | 120 |
| | Hispanic/Latino | 49.4 | (40.8 - 58.0) | 201 | - | - | 89 | 53.4 | (41.4 - 65.0) | 110 |
| | White* | 44.9 | (39.9 - 50.1) | 1,587 | 47.9 | (42.0 - 53.9) | 737 | 42.1 | (37.1 - 47.3) | 847 |
| | All other races | - | - | 62 | - | - | 33 | - | - | 28 |
| | Multiple races | - | - | 47 | - | - | 18 | - | - | 29 |

Note: There were 173 students who were excluded from the analysis for QN41.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN42: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days

| | | Total Percentage 95% | | Male | | | | | | |
|---------|-----------------|----------------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 28.2 | (23.4 - 33.6) | 2,279 | 31.1 | (25.2 - 37.6) | 1,045 | 24.9 | (20.7 - 29.7) | 1,208 |
| Age | | | | | | | | | | |
| | 15 or younger | 22.1 | (18.6 - 26.0) | 685 | 22.5 | (17.0 - 29.2) | 310 | 21.5 | (17.0 - 26.8) | 368 |
| | 16 or 17 | 26.3 | (21.9 - 31.2) | 1,175 | 29.5 | (25.2 - 34.2) | 539 | 23.1 | (17.8 - 29.5) | 633 |
| | 18 or older | 40.1 | (30.7 - 50.3) | 407 | 45.7 | (31.8 - 60.2) | 196 | 34.1 | (28.4 - 40.3) | 206 |
| Grade | | | | | | | | | | |
| | 9th | 22.1 | (18.0 - 26.8) | 696 | 22.8 | (16.2 - 31.0) | 321 | 21.3 | (16.8 - 26.7) | 369 |
| | 10th | 24.9 | (18.7 - 32.4) | 605 | 29.0 | (22.3 - 36.8) | 288 | 20.9 | (14.0 - 30.0) | 315 |
| | 11th | 27.3 | (24.0 - 30.8) | 538 | 30.3 | (25.2 - 35.9) | 237 | 24.6 | (19.6 - 30.3) | 298 |
| | 12th | 39.7 | (29.6 - 50.7) | 414 | 44.9 | (30.2 - 60.5) | 191 | 34.4 | (27.9 - 41.5) | 220 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 10.7 | (7.3 - 15.5) | 245 | 10.4 | (6.1 - 17.1) | 107 | 11.3 | (6.1 - 20.0) | 135 |
| | Hispanic/Latino | 34.9 | (28.0 - 42.5) | 217 | - | - | 97 | 38.8 | (29.2 - 49.4) | 118 |
| | White* | 30.0 | (24.9 - 35.7) | 1,654 | 34.1 | (28.3 - 40.5) | 773 | 25.9 | (21.2 - 31.1) | 877 |
| | All other races | - | - | 65 | - | - | 34 | - | - | 30 |
| | Multiple races | - | - | 50 | - | - | 18 | - | - | 32 |

Note: There were 52 students who were excluded from the analysis for QN42.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN43: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank by buying it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station during the past 30 days

| | | Total | | | | Male | | | Female centage 95% N | | | |
|-----------|-----------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | | |
| | Total | 3.0 | (1.9 - 4.7) | 920 | 4.6 | (2.9 - 7.2) | 431 | 1.3 | (0.5 - 3.3) | 479 | | |
| Age | | | | | | | | | | | | |
| | 15 or younger | 2.6 | (0.8 - 8.0) | 225 | 5.0 | (1.6 - 14.4) | 100 | 0.0 | () | 124 | | |
| | 16 or 17 | 2.3 | (1.1 - 4.7) | 464 | 3.1 | (1.4 - 6.7) | 214 | 1.4 | (0.4 - 4.9) | 250 | | |
| | 18 or older | 4.6 | (1.8 - 11.0) | 223 | 6.6 | (2.3 - 17.4) | 117 | 2.0 | (0.5 - 8.5) | 104 | | |
| Grade | | | | | | | | | | | | |
| | 9th | 1.9 | (0.4 - 7.6) | 240 | 3.6 | (0.9 - 13.4) | 108 | 0.0 | () | 131 | | |
| | 10th | 3.0 | (1.3 - 6.8) | 222 | 5.5 | (2.4 - 12.3) | 114 | 0.0 | () | 108 | | |
| | 11th | 2.2 | (1.0 - 4.7) | 218 | - | - | 93 | 1.3 | (0.3 - 6.1) | 125 | | |
| | 12th | 4.6 | (1.8 - 11.2) | 225 | 5.7 | (1.7 - 17.0) | 112 | 3.3 | (1.0 - 10.2) | 112 | | |
| Race/Ethn | icity | | | | | | | | | | | |
| | Black* | _ | - | 61 | - | - | 25 | - | - | 36 | | |
| | Hispanic/Latino | - | - | 94 | - | - | 37 | - | - | 56 | | |
| | White* | 1.9 | (0.8 - 4.1) | 691 | 3.3 | (1.5 - 7.0) | 340 | 0.3 | (0.0 - 2.1) | 351 | | |
| | All other races | - | - | 27 | - | - | 17 | - | - | 10 | | |
| | Multiple races | - | - | 24 | - | - | 7 | - | - | 17 | | |

Note: There were 1411 students who were excluded from the analysis for QN43.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN44: Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 4.1 | (3.3 - 5.2) | 2,296 | 4.9 | (3.5 - 6.9) | 1,057 | 2.7 | (2.0 - 3.7) | 1,216 |
| Age | | | | | | | | | | |
| | 15 or younger | 3.2 | (2.3 - 4.4) | 681 | 3.2 | (1.5 - 6.7) | 308 | 3.0 | (1.8 - 4.8) | 369 |
| | 16 or 17 | 4.4 | (3.1 - 6.1) | 1,194 | 5.4 | (3.5 - 8.1) | 552 | 3.3 | (2.2 - 5.1) | 639 |
| | 18 or older | 4.2 | (2.2 - 8.0) | 408 | 6.1 | (3.0 - 11.9) | 197 | 0.8 | (0.2 - 2.7) | 206 |
| Grade | | | | | | | | | | |
| | 9th | 3.1 | (2.1 - 4.7) | 697 | 3.1 | (1.3 - 7.1) | 321 | 2.7 | (1.6 - 4.4) | 371 |
| | 10th | 4.5 | (2.8 - 7.1) | 611 | 6.3 | (3.8 - 10.2) | 296 | 2.7 | (1.4 - 5.4) | 314 |
| | 11th | 5.0 | (2.9 - 8.7) | 547 | 5.6 | (2.7 - 11.4) | 241 | 4.5 | (2.6 - 7.7) | 304 |
| | 12th | 2.7 | (1.5 - 4.8) | 416 | 4.8 | (2.3 - 9.8) | 192 | 0.3 | (0.0 - 2.0) | 221 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 4.3 | (2.1 - 8.7) | 245 | 5.1 | (2.1 - 11.6) | 107 | 3.6 | (1.3 - 9.8) | 135 |
| | Hispanic/Latino | 8.3 | (4.3 - 15.6) | 220 | - | - | 99 | 6.2 | (2.8 - 13.0) | 119 |
| | White* | 3.5 | (2.7 - 4.5) | 1,663 | 4.7 | (3.2 - 6.8) | 778 | 2.4 | (1.5 - 3.6) | 882 |
| | All other races | - | - | 67 | - | - | 34 | - | - | 32 |
| | Multiple races | - | - | 53 | - | - | 21 | - | - | 32 |

Note: There were 35 students who were excluded from the analysis for QN44.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN45: Percentage of students who used marijuana one or more times during their life

| | | Total Percentage 95% | | | | Male | | | Female | |
|----------|-----------------|-----------------------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 37.8 | (34.9 - 40.8) | 2,268 | 39.5 | (35.7 - 43.4) | 1,041 | 36.1 | (31.8 - 40.7) | 1,207 |
| Age | | | | | | | | | | |
| | 15 or younger | 23.2 | (19.5 - 27.4) | 674 | 23.5 | (17.3 - 31.3) | 303 | 22.6 | (18.9 - 26.7) | 366 |
| | 16 or 17 | 41.3 | (37.8 - 44.9) | 1,180 | 41.6 | (37.1 - 46.2) | 543 | 41.0 | (35.5 - 46.8) | 635 |
| | 18 or older | 48.4 | (40.5 - 56.3) | 403 | 54.6 | (44.1 - 64.6) | 195 | 42.2 | (33.4 - 51.6) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 24.5 | (20.2 - 29.4) | 688 | 25.4 | (18.6 - 33.8) | 316 | 23.5 | (18.8 - 29.0) | 369 |
| | 10th | 35.9 | (31.7 - 40.3) | 607 | 36.5 | (30.0 - 43.5) | 293 | 35.3 | (28.6 - 42.8) | 312 |
| | 11th | 45.4 | (38.4 - 52.7) | 542 | 45.0 | (36.4 - 53.9) | 239 | 45.9 | (36.5 - 55.7) | 301 |
| | 12th | 48.7 | (40.6 - 56.9) | 408 | 55.4 | (44.2 - 66.1) | 187 | 42.3 | (33.4 - 51.7) | 219 |
| Race/Etl | nnicity | | | | | | | | | |
| | Black* | 55.2 | (47.7 - 62.5) | 236 | 54.7 | (44.2 - 64.8) | 101 | 56.0 | (43.0 - 68.2) | 133 |
| | Hispanic/Latino | 45.7 | (37.8 - 53.7) | 212 | - | - | 95 | 44.1 | (33.3 - 55.4) | 115 |
| | White* | 34.7 | (31.2 - 38.5) | 1,656 | 36.8 | (32.1 - 41.7) | 772 | 32.8 | (27.4 - 38.6) | 880 |
| | All other races | - | - | 67 | - | - | 34 | - | - | 32 |
| | Multiple races | - | - | 54 | - | - | 21 | - | - | 33 |

Note: There were 63 students who were excluded from the analysis for QN45.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN46: Percentage of students who tried marijuana for the first time before age 13 years

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------|------------|--|-------|------------|---------------------------------------|-------|------------|--------------------------------|-------|
| Total | 9.1 | (7.6 - 10.9) | 2,281 | 11.5 (| 9.6 - 13.8) | 1,049 | 6.4 | (4.8 - 8.4) | 1,209 |
| Age | | | | | | | | | |
| 15 or younger | 9.0 | (6.7 - 11.9) | 678 | 10.6 (| 7.5 - 14.6) | 306 | 6.4 | (3.8 - 10.4) | 366 |
| 16 or 17 | 9.7 | (7.7 - 12.1) | 1,186 | 12.0 (| 9.3 - 15.4) | 547 | 7.4 | (5.4 - 10.1) | 637 |
| 18 or older | 7.8 | (5.4 - 11.2) | 405 | 11.6 (| 8.0 - 16.5) | 196 | 3.8 | (2.0 - 7.2) | 205 |
| Grade | | | | | | | | | |
| 9th | 8.4 | (6.1 - 11.6) | 694 | 10.1 (| 6.4 - 15.4) | 321 | 6.5 | (4.1 - 10.3) | 369 |
| 10th | 10.4 | (8.5 - 12.8) | 609 | 12.7 (| 9.4 - 16.9) | 294 | 8.1 | (5.3 - 12.0) | 313 |
| 11th | 10.3 | (7.2 - 14.5) | 544 | 12.9 (| 7.5 - 21.1) | 238 | 7.3 | (5.0 - 10.7) | 303 |
| 12th | 7.0 | (4.4 - 10.9) | 411 | 10.4 (| 6.5 - 16.4) | 189 | 3.2 | (1.6 - 6.2) | 219 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 14.6 | (9.0 - 22.9) | 239 | 20.7 (| 12.0 - 33.3) | 103 | 8.7 | (4.7 - 15.6) | 134 |
| Hispanic/Latino | 15.6 | (9.9 - 23.5) | 213 | - | - | 98 | 11.4 | (6.3 - 19.9) | 113 |
| White* | 7.6 | (6.1 - 9.6) | 1,660 | 9.6 (| 7.5 - 12.2) | 773 | 5.6 | (4.1 - 7.7) | 883 |
| All other races | - | - | 67 | - | - | 34 | - | - | 32 |
| Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 50 students who were excluded from the analysis for QN46.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN47: Percentage of students who used marijuana one or more times during the past 30 days

| | | Total Percentage 95% | | Male | | | | Female | | | |
|---------|-----------------|----------------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 18.9 | (16.6 - 21.5) | 2,277 | 21.6 | (19.0 - 24.4) | 1,049 | 16.2 | (13.9 - 18.8) | 1,207 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 12.4 | (9.6 - 15.8) | 676 | 13.2 | (9.2 - 18.6) | 307 | 11.2 | (8.1 - 15.4) | 364 | |
| | 16 or 17 | 20.3 | (17.8 - 23.0) | 1,187 | 22.3 | (19.5 - 25.3) | 548 | 18.3 | (15.2 - 21.9) | 637 | |
| | 18 or older | 24.3 | (18.4 - 31.3) | 402 | 30.7 | (23.5 - 38.8) | 194 | 17.6 | (12.0 - 25.2) | 205 | |
| Grade | | | | | | | | | | | |
| | 9th | 13.2 | (9.8 - 17.5) | 692 | 14.3 | (9.6 - 20.7) | 320 | 11.9 | (8.5 - 16.4) | 368 | |
| | 10th | 17.4 | (14.0 - 21.4) | 608 | 20.0 | (15.9 - 24.9) | 294 | 14.8 | (10.4 - 20.5) | 313 | |
| | 11th | 22.3 | (17.6 - 27.8) | 543 | 22.6 | (16.3 - 30.6) | 240 | 22.1 | (17.2 - 28.0) | 301 | |
| | 12th | 24.0 | (17.8 - 31.6) | 409 | 31.7 | (23.8 - 40.8) | 188 | 16.4 | (11.6 - 22.8) | 219 | |
| Race/Et | hnicity | | | | | | | | | | |
| | Black* | 31.2 | (22.9 - 41.0) | 244 | 32.8 | (21.8 - 46.1) | 107 | 30.4 | (20.0 - 43.3) | 134 | |
| | Hispanic/Latino | 21.9 | (16.5 - 28.4) | 211 | - | - | 94 | 18.5 | (11.4 - 28.5) | 115 | |
| | White* | 17.0 | (14.1 - 20.3) | 1,660 | 20.0 | (16.7 - 23.6) | 775 | 13.9 | (11.1 - 17.3) | 881 | |
| | All other races | - | - | 67 | - | - | 35 | - | - | 31 | |
| | Multiple races | - | - | 53 | - | - | 21 | - | - | 32 | |

Note: There were 54 students who were excluded from the analysis for QN47.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN48: Percentage of students who used marijuana on school property one or more times during the past 30 days

| | | Percentage | Total 95% confide interv | ence | N | Percentage | | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------|-----------------|------------|-----------------------------------|-------|-------|------------|---|---------------------------------------|-------|------------|---|-------|
| | Total | 4.1 | (3.3 - | 5.2) | 2,286 | 5.8 | (| 4.9 - 7.0) | 1,053 | 2.1 | (1.2 - 3.5) | 1,211 |
| Age | | | | | | | | | | | | |
| | 15 or younger | 3.5 | (2.3 - | 5.1) | 680 | 4.5 | (| 3.0 - 6.7) | 308 | 1.9 | (0.6 - 5.9) | 367 |
| | 16 or 17 | 4.0 | (2.8 - | 5.6) | 1,189 | 5.7 | (| 4.0 - 7.9) | 549 | 2.3 | (1.3 - 4.0) | 637 |
| | 18 or older | 5.0 | (3.3 - | 7.5) | 405 | 8.0 | (| 5.2 - 12.1) | 196 | 1.8 | (0.6 - 5.3) | 206 |
| Grade | | | | | | | | | | | | |
| | 9th | 3.4 | (2.3 - | 5.0) | 697 | 4.4 | (| 2.5 - 7.6) | 321 | 2.0 | (0.8 - 5.0) | 371 |
| | 10th | 3.4 | (1.9 - | 6.0) | 609 | 5.8 | (| 3.2 - 10.3) | 295 | 0.9 | (0.2 - 3.6) | 313 |
| | 11th | 4.3 | (2.5 - | 7.0) | 543 | 5.0 | (| 2.6 - 9.7) | 240 | 3.5 | (1.7 - 7.1) | 301 |
| | 12th | 5.1 | (3.2 - | 8.0) | 412 | 8.4 | (| 5.7 - 12.2) | 190 | 1.7 | (0.5 - 5.4) | 220 |
| Race/Eth | nnicity | | | | | | | | | | | |
| | Black* | 4.7 | (3.1 - | 7.2) | 246 | 7.7 | (| 4.3 - 13.2) | 108 | 1.7 | (0.8 - 3.7) | 135 |
| | Hispanic/Latino | 6.4 | (3.5 - | 11.3) | 213 | - | | - | 95 | 4.4 | (2.1 - 9.2) | 116 |
| | White* | 3.6 | (2.7 - | 4.8) | 1,662 | 5.4 | (| 4.3 - 6.8) | 776 | 1.7 | (0.9 - 3.1) | 882 |
| | All other races | - | - | | 67 | - | | - | 35 | - | - | 31 |
| | Multiple races | - | - | | 53 | - | | - | 21 | - | - | 32 |

Note: There were 45 students who were excluded from the analysis for QN48.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN49: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life

| | | _ | Total | | _ | Male | | _ | Female | |
|---------|-----------------|------------|---------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | e 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 8.0 | (6.5 - 9.8) | 2,291 | 8.7 | (6.3 - 11.8) | 1,052 | 6.8 | (5.6 - 8.1) | 1,213 |
| Age | | | | | | | | | | |
| | 15 or younger | 5.0 | (2.9 - 8.3) | 686 | 4.0 | (1.8 - 8.6) | 309 | 4.4 | (2.7 - 7.1) | 369 |
| | 16 or 17 | 7.8 | (6.5 - 9.4) | 1,187 | 8.1 | (6.1 - 10.7) | 547 | 7.6 | (5.7 - 10.1) | 637 |
| | 18 or older | 11.8 | (7.0 - 19.3) | 404 | 16.0 | (8.1 - 29.4) | 196 | 7.4 | (5.1 - 10.6) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 4.4 | (2.5 - 7.5) | 700 | 3.9 | (1.5 - 9.5) | 322 | 4.7 | (3.3 - 6.6) | 373 |
| | 10th | 8.7 | (6.7 - 11.2) | 612 | 8.8 | (6.4 - 12.1) | 296 | 8.4 | (5.5 - 12.7) | 314 |
| | 11th | 8.6 | (6.3 - 11.5) | 541 | 9.9 | (6.3 - 15.3) | 237 | 6.8 | (4.2 - 10.7) | 301 |
| | 12th | 10.4 | (5.8 - 18.1) | 412 | 13.4 | (5.9 - 27.5) | 190 | 7.3 | (4.8 - 11.0) | 219 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 2.4 | (0.7 - 7.8) | 243 | 2.9 | (0.6 - 13.4) | 105 | 1.9 | (0.5 - 7.6) | 135 |
| | Hispanic/Latino | 12.4 | (7.9 - 18.9) | 214 | - | - | 97 | 13.0 | (7.9 - 20.7) | 115 |
| | White* | 8.0 | (6.5 - 9.9) | 1,661 | 9.2 | (6.5 - 12.7) | 775 | 6.8 | (5.5 - 8.4) | 882 |
| | All other races | - | - | 69 | - | - | 35 | - | - | 33 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 40 students who were excluded from the analysis for QN49.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days

| | | Total | | Male | | | | Female | | | |
|----------------|------------|---------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|--|
| | Percentage | e 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | | |
| Total | 3.8 | (2.7 - 5.3) | 2,303 | 4.2 | (2.7 - 6.5) | 1,058 | 2.8 | (2.0 - 3.9) | 1,219 | | |
| Age | | | | | | | | | | | |
| 15 or younge | 3.3 | (1.7 - 6.6) | 689 | 3.6 | (1.5 - 8.2) | 311 | 1.7 | (0.8 - 3.5) | 370 | | |
| 16 or 17 | 3.0 | (2.3 - 3.8) | 1,195 | 3.0 | (1.9 - 4.5) | 551 | 3.0 | (1.9 - 4.8) | 641 | | |
| 18 or older | 5.7 | (2.8 - 11.3) | 405 | 7.9 | (3.7 - 16.4) | 196 | 3.4 | (1.6 - 7.0) | 206 | | |
| Grade | | | | | | | | | | | |
| 9th | 2.7 | (1.4 - 5.3) | 702 | 3.0 | (1.1 - 7.8) | 323 | 2.1 | (1.2 - 3.6) | 374 | | |
| 10th | 3.3 | (2.0 - 5.2) | 613 | 3.5 | (1.9 - 6.5) | 296 | 3.0 | (1.5 - 6.0) | 315 | | |
| 11th | 3.2 | (1.9 - 5.4) | 548 | 4.2 | (1.7 - 9.8) | 242 | 1.8 | (0.7 - 4.2) | 303 | | |
| 12th | 5.4 | (2.5 - 11.4) | 414 | 6.4 | (2.3 - 16.1) | 190 | 4.2 | (2.0 - 8.6) | 221 | | |
| Race/Ethnicity | | | | | | | | | | | |
| Black* | 2.4 | (0.7 - 7.8) | 246 | 2.9 | (0.6 - 13.5) | 107 | 1.9 | (0.5 - 7.5) | 136 | | |
| Hispanic/Lati | no 8.0 | (3.5 - 17.3) | 217 | - | - | 98 | 6.5 | (2.8 - 14.4) | 117 | | |
| White* | 3.2 | (2.3 - 4.5) | 1,665 | 3.9 | (2.2 - 6.6) | 777 | 2.5 | (1.7 - 3.5) | 884 | | |
| All other race | s - | - | 70 | - | - | 35 | - | - | 34 | | |
| Multiple race | s - | - | 55 | - | - | 22 | - | - | 33 | | |

Note: There were 28 students who were excluded from the analysis for QN50.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life

| | | Total Percentage 95% | | | Male | | | Female | | | |
|---------|-----------------|----------------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 15.8 | (13.1 - 19.0) | 2,316 | 16.7 | (13.0 - 21.1) | 1,064 | 14.4 | (12.2 - 17.0) | 1,224 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 15.6 | (11.9 - 20.1) | 689 | 14.7 | (9.7 - 21.7) | 310 | 15.0 | (11.3 - 19.7) | 370 | |
| | 16 or 17 | 16.3 | (14.4 - 18.4) | 1,205 | 17.3 | (15.2 - 19.7) | 557 | 15.3 | (12.7 - 18.4) | 645 | |
| | 18 or older | 14.8 | (8.6 - 24.3) | 408 | 17.7 | (8.6 - 33.0) | 197 | 11.3 | (7.4 - 17.0) | 207 | |
| Grade | | | | | | | | | | | |
| | 9th | 16.1 | (12.7 - 20.2) | 705 | 15.4 | (10.1 - 22.6) | 326 | 16.3 | (13.1 - 20.0) | 373 | |
| | 10th | 17.8 | (14.2 - 22.0) | 619 | 18.3 | (14.3 - 23.2) | 299 | 17.0 | (12.8 - 22.2) | 317 | |
| | 11th | 13.5 | (11.0 - 16.6) | 550 | 14.6 | (9.9 - 21.0) | 241 | 12.2 | (9.1 - 16.1) | 306 | |
| | 12th | 15.1 | (8.7 - 25.1) | 416 | 18.8 | (9.1 - 34.7) | 191 | 11.3 | (7.9 - 15.9) | 222 | |
| Race/Et | hnicity | | | | | | | | | | |
| | Black* | 7.1 | (4.4 - 11.2) | 249 | 7.2 | (3.0 - 16.2) | 109 | 7.1 | (3.5 - 13.7) | 137 | |
| | Hispanic/Latino | 15.9 | (10.6 - 23.2) | 217 | - | - | 98 | 19.3 | (12.5 - 28.6) | 117 | |
| | White* | 16.6 | (13.6 - 19.9) | 1,672 | 18.1 | (14.1 - 22.8) | 781 | 15.0 | (12.3 - 18.1) | 887 | |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 | |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 | |

Note: There were 15 students who were excluded from the analysis for QN51.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN52: Percentage of students who used heroin one or more times during their life

| | | Percentage | C | otal 95% onfidinter | ence | N | Percentage | | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------|-----------------|------------|-------|---------------------------|-------|-------|------------|---|---------------------------------------|-------|------------|--------------------------------|-------|
| | Total | 3.6 | (2.5 | 8 - | 4.8) | 2,314 | 4.2 | (| 3.1 - 5.7) | 1,062 | 2.3 | (1.6 - 3.1) | 1,224 |
| Age | | | | | | | | | | | | | |
| | 15 or younger | 3.9 | (2. | 1 - | 7.4) | 689 | 4.9 | (| 2.5 - 9.5) | 309 | 1.4 | (0.6 - 3.3) | 371 |
| | 16 or 17 | 3.3 | (2 | 3 - | 4.6) | 1,203 | 4.2 | (| 2.7 - 6.3) | 556 | 2.2 | (1.3 - 3.8) | 644 |
| | 18 or older | 3.4 | (1.9 | 9 - | 6.1) | 408 | 3.2 | (| 1.5 - 6.8) | 197 | 3.1 | (1.2 - 7.5) | 207 |
| Grade | | | | | | | | | | | | | |
| | 9th | 3.6 | (2. | 1 - | 6.3) | 706 | 4.5 | (| 2.1 - 9.3) | 326 | 1.9 | (1.0 - 3.3) | 374 |
| | 10th | 3.0 | (1. | 7 - | 5.1) | 618 | 4.5 | (| 2.5 - 7.9) | 298 | 1.2 | (0.4 - 4.0) | 317 |
| | 11th | 4.2 | (2. | 7 - | 6.4) | 548 | 4.7 | (| 2.2 - 9.7) | 240 | 3.1 | (1.9 - 5.1) | 305 |
| | 12th | 2.8 | (1 | 3 - | 5.6) | 416 | 2.4 | (| 0.9 - 6.2) | 191 | 2.8 | (1.3 - 6.0) | 222 |
| Race/Eth | nnicity | | | | | | | | | | | | |
| | Black* | 2.8 | (1.2 | 2 - | 6.7) | 249 | 3.8 | (| 1.4 - 10.0) | 109 | 1.9 | (0.5 - 7.4) | 137 |
| | Hispanic/Latino | 6.4 | (2.3 | 8 - | 13.9) | 218 | - | | - | 98 | 2.3 | (0.5 - 9.5) | 118 |
| | White* | 2.8 | (2.4 | 4 - | 3.3) | 1,670 | 3.5 | (| 2.6 - 4.7) | 779 | 2.0 | (1.3 - 2.8) | 887 |
| | All other races | - | | - | | 69 | - | | - | 35 | - | - | 33 |
| | Multiple races | - | | - | | 55 | - | | - | 22 | - | - | 33 |

Note: There were 17 students who were excluded from the analysis for QN52.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN53: Percentage of students who used methamphetamines one or more times during their life

| | | Total | | | Male | | | Female | |
|----------------|-----------|----------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | Percentag | ge 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 6.2 | (4.7 - 8.2) | 2,318 | 6.8 | (5.0 - 9.2) | 1,065 | 5.1 | (3.6 - 7.1) | 1,225 |
| Age | | | | | | | | | |
| 15 or younge | r 4.7 | (3.2 - 7.0) | 690 | 5.0 | (2.7 - 9.1) | 310 | 3.3 | (1.9 - 5.5) | 371 |
| 16 or 17 | 6.4 | (4.7 - 8.5) | 1,205 | 6.6 | (4.8 - 9.1) | 557 | 6.0 | (4.1 - 8.8) | 645 |
| 18 or older | 7.3 | (4.3 - 12.3) | 409 | 9.4 | (5.0 - 17.0) | 198 | 4.7 | (2.4 - 9.0) | 207 |
| Grade | | | | | | | | | |
| 9th | 4.7 | (3.2 - 7.0) | 706 | 4.7 | (2.4 - 8.9) | 326 | 3.9 | (2.4 - 6.4) | 374 |
| 10th | 6.1 | (4.1 - 9.1) | 619 | 7.2 | (4.6 - 11.3) | 299 | 4.7 | (2.6 - 8.5) | 317 |
| 11th | 7.1 | (4.8 - 10.5) | 550 | 7.3 | (4.5 - 11.7) | 241 | 7.1 | (4.1 - 12.0) | 306 |
| 12th | 6.3 | (3.0 - 12.7) | 417 | 8.1 | (3.2 - 18.6) | 192 | 4.6 | (2.6 - 8.0) | 222 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 3.4 | (1.8 - 6.4) | 249 | 4.8 | (2.1 - 10.6) | 109 | 1.9 | (0.5 - 7.4) | 137 |
| Hispanic/Lat | no 9.5 | (5.3 - 16.4) | 218 | - | - | 98 | 9.1 | (5.0 - 16.1) | 118 |
| White* | 5.9 | (4.4 - 7.9) | 1,673 | 6.8 | (4.8 - 9.5) | 782 | 5.0 | (3.5 - 7.0) | 887 |
| All other race | es - | - | 70 | - | - | 35 | - | - | 34 |
| Multiple race | s - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 13 students who were excluded from the analysis for QN53.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN54: Percentage of students who used ecstasy one or more times during their life

| | | Percentage | Total 95% | N | Percentage | Male 95% | N | Percentage | Female 95% | N |
|----------|-----------------|------------|------------------------|-------|------------|------------------------|-------|------------|------------------------|-------|
| | | rereninge | confidence interval | | Terominge | confidence interval | 11 | refeemage | confidence interval | 11 |
| | Total | 6.4 | (5.2 - 7.9) | 2,315 | 6.7 | (4.9 - 9.0) | 1,062 | 5.4 | (4.3 - 6.7) | 1,224 |
| Age | | | | | | | | | | |
| | 15 or younger | 5.3 | (3.4 - 8.3) | 689 | 5.9 | (2.7 - 12.4) | 309 | 3.8 | (2.3 - 6.0) | 371 |
| | 16 or 17 | 6.2 | (4.7 - 8.1) | 1,203 | 6.1 | (4.2 - 8.8) | 555 | 6.1 | (4.4 - 8.5) | 645 |
| | 18 or older | 7.9 | (4.9 - 12.5) | 409 | 9.0 | (4.7 - 16.4) | 198 | 5.4 | (2.6 - 10.9) | 206 |
| Grade | | | | | | | | | | |
| | 9th | 5.1 | (3.0 - 8.8) | 705 | 5.5 | (2.1 - 13.9) | 325 | 3.9 | (2.6 - 5.9) | 374 |
| | 10th | 5.4 | (3.5 - 8.3) | 617 | 5.9 | (3.5 - 9.7) | 297 | 4.9 | (2.9 - 8.1) | 317 |
| | 11th | 7.3 | (4.9 - 10.7) | 550 | 8.0 | (4.1 - 14.7) | 241 | 6.7 | (4.9 - 9.1) | 306 |
| | 12th | 6.8 | (4.2 - 11.0) | 416 | 7.4 | (3.4 - 15.5) | 192 | 6.4 | (3.4 - 11.6) | 221 |
| Race/Etl | hnicity | | | | | | | | | |
| | Black* | 7.3 | (4.3 - 12.2) | 248 | 8.8 | (4.4 - 16.8) | 109 | 5.9 | (2.8 - 11.9) | 136 |
| | Hispanic/Latino | 11.0 | (6.1 - 19.1) | 218 | - | - | 98 | 7.1 | (3.0 - 16.0) | 118 |
| | White* | 5.2 | (4.2 - 6.4) | 1,670 | 5.7 | (3.9 - 8.1) | 779 | 4.7 | (3.4 - 6.3) | 887 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 16 students who were excluded from the analysis for QN54.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN55: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life

| | Percenta | Total ge 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------------|-------------|----------------------------------|-------|------------|---------------------------------------|-------|------------|---|-------|
| Total | 4.5 | (3.2 - 6.3) | 2,323 | 4.7 (| 3.5 - 6.3) | 1,070 | 3.2 | (2.3 - 4.4) | 1,224 |
| Age | | | | | | | | | |
| 15 or you | nger 4.7 | (2.7 - 8.0) | 693 | 4.6 (| 2.3 - 8.9) | 313 | 3.1 | (1.8 - 5.3) | 371 |
| 16 or 17 | 3.8 | (2.8 - 5.1) | 1,207 | 4.4 (| 3.2 - 6.0) | 558 | 3.1 | (1.7 - 5.5) | 646 |
| 18 or olde | r 5.4 | (2.8 - 10.2) | 410 | 5.7 (| 3.1 - 10.3) | 199 | 3.6 | (1.8 - 7.3) | 206 |
| Grade | | | | | | | | | |
| 9th | 4.6 | (2.8 - 7.7) | 708 | 5.1 (| 2.5 - 10.2) | 328 | 3.3 | (1.8 - 6.2) | 374 |
| 10th | 3.2 | (1.9 - 5.3) | 619 | 3.0 (| 1.7 - 5.2) | 299 | 3.1 | (1.5 - 6.6) | 317 |
| 11th | 4.1 | (2.8 - 6.0) | 553 | 5.4 (| 3.3 - 8.8) | 243 | 2.3 | (1.2 - 4.2) | 307 |
| 12th | 4.5 | (2.8 - 7.1) | 416 | 5.1 (| 3.2 - 8.2) | 193 | 3.9 | (2.0 - 7.3) | 220 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 2.1 | (1.0 - 4.3) | 249 | 4.2 (| 1.8 - 9.4) | 111 | 0.0 | () | 135 |
| Hispanic/l | Latino 11.7 | (6.6 - 19.8) | 220 | - | - | 99 | 11.3 | (5.7 - 21.3) | 119 |
| White* | 3.3 | (2.4 - 4.5) | 1,675 | 3.9 (| 2.7 - 5.6) | 784 | 2.7 | (1.8 - 4.0) | 887 |
| All other | aces - | - | 70 | - | - | 35 | - | - | 34 |
| Multiple r | aces - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 8 students who were excluded from the analysis for QN55.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN56: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life

| | | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------|-----------------|------------|--|-------|------------|---------------------------------------|-------|------------|---|-------|
| | Total | 2.7 | (2.0 - 3.7) | 2,285 | 3.1 | (2.0 - 4.8) | 1,045 | 1.8 | (1.2 - 2.7) | 1,216 |
| Age | | | | | | | | | | |
| | 15 or younger | 2.6 | (1.2 - 5.4) | 675 | 3.0 | (1.1 - 7.7) | 303 | 1.5 | (0.6 - 3.8) | 365 |
| | 16 or 17 | 2.6 | (1.6 - 4.0) | 1,190 | 3.3 | (2.0 - 5.5) | 545 | 1.8 | (1.0 - 3.3) | 642 |
| | 18 or older | 2.6 | (1.1 - 6.2) | 408 | 2.8 | (1.0 - 8.1) | 197 | 1.9 | (0.5 - 6.3) | 207 |
| Grade | | | | | | | | | | |
| | 9th | 2.8 | (1.5 - 5.1) | 689 | 3.1 | (1.3 - 7.0) | 315 | 1.8 | (0.8 - 4.0) | 368 |
| | 10th | 2.1 | (1.3 - 3.3) | 612 | 2.7 | (1.3 - 5.5) | 293 | 1.2 | (0.5 - 3.0) | 316 |
| | 11th | 3.8 | (2.4 - 6.1) | 544 | 5.2 | (2.6 - 10.2) | 238 | 2.5 | (1.6 - 3.8) | 304 |
| | 12th | 1.3 | (0.6 - 3.2) | 417 | 0.9 | (0.2 - 4.5) | 192 | 1.6 | (0.5 - 5.1) | 222 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 2.1 | (0.8 - 5.3) | 248 | 3.3 | (1.3 - 8.1) | 108 | 0.9 | (0.1 - 6.0) | 137 |
| | Hispanic/Latino | 8.0 | (3.5 - 17.3) | 212 | - | - | 93 | 5.9 | (2.5 - 13.5) | 117 |
| | White* | 2.2 | (1.5 - 3.1) | 1,652 | 2.7 | (1.8 - 4.2) | 769 | 1.6 | (1.0 - 2.4) | 879 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 54 | - | - | 21 | - | - | 33 |

Note: There were 46 students who were excluded from the analysis for QN56.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN57: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months

| | | | Total | | | Male | | | Female | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 20.5 | (18.5 - 22.7) | 2,299 | 21.9 | (18.7 - 25.5) | 1,062 | 18.8 | (16.0 - 22.0) | 1,212 |
| Age | | | | | | | | | | |
| | 15 or younger | 17.0 | (14.2 - 20.3) | 684 | 17.4 | (12.3 - 24.1) | 311 | 16.7 | (12.5 - 22.1) | 366 |
| | 16 or 17 | 22.2 | (18.9 - 25.8) | 1,196 | 23.2 | (19.0 - 27.9) | 553 | 21.1 | (17.1 - 25.8) | 640 |
| | 18 or older | 20.5 | (16.3 - 25.4) | 407 | 24.6 | (19.4 - 30.5) | 198 | 15.8 | (10.1 - 23.9) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 16.8 | (14.1 - 19.8) | 699 | 17.9 | (12.5 - 24.9) | 326 | 15.3 | (11.5 - 20.2) | 367 |
| | 10th | 23.4 | (19.2 - 28.2) | 615 | 25.1 | (20.4 - 30.4) | 297 | 21.7 | (16.2 - 28.5) | 315 |
| | 11th | 22.7 | (18.7 - 27.3) | 546 | 22.8 | (16.9 - 30.1) | 239 | 22.8 | (17.9 - 28.6) | 305 |
| | 12th | 18.9 | (15.1 - 23.4) | 415 | 22.3 | (16.9 - 28.7) | 193 | 15.3 | (9.5 - 23.7) | 219 |
| Race/Etl | nnicity | | | | | | | | | |
| | Black* | 24.4 | (17.3 - 33.2) | 246 | 30.4 | (20.3 - 42.8) | 108 | 18.7 | (13.1 - 26.0) | 135 |
| | Hispanic/Latino | 31.4 | (23.7 - 40.3) | 218 | - | - | 97 | 34.1 | (25.0 - 44.4) | 119 |
| | White* | 18.8 | (16.9 - 20.8) | 1,662 | 20.1 | (16.7 - 23.9) | 782 | 17.5 | (14.9 - 20.5) | 876 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 32 students who were excluded from the analysis for QN57.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN58: Percentage of students who ever had sexual intercourse

| | | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|---------|-----------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-------|
| | Total | 49.1 | (46.1 - 52.2) | 2,193 | 49.2 | (45.0 - 53.3) | 998 | 49.1 | (44.2 - 54.0) | 1,177 |
| Age | | | | | | | | | | |
| | 15 or younger | 30.6 | (25.8 - 35.8) | 646 | 33.7 | (27.0 - 41.0) | 289 | 27.5 | (20.9 - 35.3) | 353 |
| | 16 or 17 | 52.1 | (48.6 - 55.5) | 1,142 | 50.8 | (44.7 - 56.8) | 518 | 53.2 | (48.1 - 58.2) | 622 |
| | 18 or older | 65.7 | (58.3 - 72.4) | 394 | 64.4 | (56.5 - 71.6) | 191 | 67.7 | (58.1 - 75.9) | 201 |
| Grade | | | | | | | | | | |
| | 9th | 32.5 | (26.9 - 38.5) | 665 | 35.5 | (27.4 - 44.6) | 306 | 29.4 | (22.5 - 37.3) | 356 |
| | 10th | 48.1 | (42.4 - 53.9) | 586 | 47.7 | (39.2 - 56.3) | 277 | 48.3 | (41.0 - 55.7) | 307 |
| | 11th | 54.6 | (48.5 - 60.4) | 514 | 52.6 | (44.4 - 60.7) | 223 | 56.3 | (47.7 - 64.5) | 290 |
| | 12th | 65.7 | (58.0 - 72.6) | 409 | 64.6 | (54.9 - 73.2) | 188 | 67.1 | (58.5 - 74.6) | 218 |
| Race/Et | nnicity | | | | | | | | | |
| | Black* | 66.3 | (59.7 - 72.3) | 226 | - | - | 94 | 58.0 | (46.4 - 68.8) | 130 |
| | Hispanic/Latino | 55.1 | (45.9 - 63.9) | 188 | - | - | 81 | 51.9 | (42.6 - 61.1) | 106 |
| | White* | 46.3 | (42.7 - 50.0) | 1,624 | 45.2 | (40.8 - 49.7) | 758 | 47.6 | (41.7 - 53.4) | 863 |
| | All other races | - | - | 66 | - | - | 34 | - | - | 31 |
| | Multiple races | - | - | 51 | - | - | 18 | - | - | 33 |

Note: There were 138 students who were excluded from the analysis for QN58.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN59: Percentage of students who had sexual intercourse for the first time before age 13 years

| | | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------|-----------------|------------|--|-------|------------|---------------------------------------|-----|------------|--------------------------------|-------|
| | Total | 5.4 | (4.4 - 6.7) | 2,156 | 6.1 | (4.5 - 8.3) | 985 | 4.6 | (3.5 - 6.0) | 1,151 |
| Age | | | | | | | | | | |
| | 15 or younger | 5.9 | (4.3 - 8.1) | 624 | 7.1 | (4.3 - 11.5) | 283 | 4.5 | (2.7 - 7.5) | 337 |
| | 16 or 17 | 5.5 | (3.8 - 7.7) | 1,125 | 5.8 | (3.3 - 10.0) | 512 | 5.2 | (3.6 - 7.4) | 611 |
| | 18 or older | 4.4 | (2.7 - 7.2) | 394 | 5.8 | (2.7 - 12.0) | 190 | 3.0 | (1.6 - 5.5) | 201 |
| Grade | | | | | | | | | | |
| | 9th | 6.4 | (4.4 - 9.2) | 644 | 6.3 | (3.5 - 11.2) | 300 | 6.3 | (4.2 - 9.2) | 341 |
| | 10th | 4.7 | (3.4 - 6.6) | 586 | 4.7 | (2.7 - 7.9) | 277 | 4.8 | (3.0 - 7.6) | 307 |
| | 11th | 6.8 | (3.5 - 12.8) | 499 | 9.8 | (4.2 - 21.3) | 217 | 3.8 | (2.1 - 6.8) | 280 |
| | 12th | 3.5 | (2.1 - 5.8) | 409 | 4.0 | (1.6 - 10.0) | 187 | 3.0 | (1.7 - 5.3) | 219 |
| Race/Etl | nnicity | | | | | | | | | |
| | Black* | 13.5 | (10.2 - 17.7) | 230 | - | - | 94 | 8.1 | (4.5 - 14.2) | 133 |
| | Hispanic/Latino | 11.3 | (6.7 - 18.4) | 184 | - | - | 79 | 12.0 | (6.4 - 21.4) | 104 |
| | White* | 3.8 | (2.9 - 5.0) | 1,585 | 3.9 | (2.7 - 5.7) | 747 | 3.6 | (2.6 - 5.1) | 835 |
| | All other races | - | - | 67 | - | - | 34 | - | - | 32 |
| | Multiple races | - | - | 51 | - | - | 18 | - | - | 33 |

Note: There were 175 students who were excluded from the analysis for QN59.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN60: Percentage of students who had sexual intercourse with four or more people during their life

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 13.3 | (11.5 - 15.4) | 2,150 | 14.6 | (11.3 - 18.5) | 980 | 11.9 | (9.9 - 14.3) | 1,150 |
| Age | | | | | | | | | | |
| | 15 or younger | 5.7 | (3.8 - 8.4) | 625 | 6.4 | (3.2 - 12.7) | 284 | 4.7 | (2.8 - 7.7) | 337 |
| | 16 or 17 | 14.1 | (11.1 - 17.9) | 1,118 | 15.5 | (10.8 - 21.8) | 506 | 12.8 | (10.5 - 15.7) | 610 |
| | 18 or older | 20.4 | (16.1 - 25.5) | 394 | 22.1 | (14.1 - 32.8) | 190 | 18.9 | (13.9 - 25.1) | 201 |
| Grade | | | | | | | | | | |
| | 9th | 7.3 | (5.2 - 10.1) | 642 | 8.2 | (4.8 - 13.8) | 299 | 6.0 | (4.1 - 8.8) | 340 |
| | 10th | 11.5 | (8.6 - 15.3) | 583 | 12.8 | (8.4 - 19.1) | 276 | 10.3 | (7.0 - 14.8) | 305 |
| | 11th | 15.9 | (11.4 - 21.6) | 496 | 18.9 | (11.8 - 29.0) | 214 | 12.9 | (9.4 - 17.5) | 280 |
| | 12th | 19.4 | (14.9 - 24.9) | 409 | 19.6 | (12.0 - 30.3) | 187 | 19.4 | (14.3 - 25.6) | 219 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 33.7 | (25.1 - 43.7) | 230 | - | - | 95 | 23.0 | (14.2 - 34.9) | 132 |
| | Hispanic/Latino | 17.6 | (12.9 - 23.5) | 183 | - | - | 76 | 10.3 | (5.7 - 18.1) | 106 |
| | White* | 9.8 | (8.4 - 11.3) | 1,580 | 9.6 | (7.2 - 12.5) | 744 | 10.0 | (8.1 - 12.4) | 833 |
| | All other races | - | - | 67 | - | - | 34 | - | - | 32 |
| | Multiple races | - | - | 51 | - | - | 18 | - | - | 33 |

Note: There were 181 students who were excluded from the analysis for QN60.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN61: Percentage of students who had sexual intercourse with one or more people during the past three months

| | | Total | | | Male | | Female | | | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 37.0 | (34.4 - 39.6) | 2,192 | 34.4 | (31.1 - 37.8) | 992 | 39.2 | (34.8 - 43.8) | 1,179 |
| Age | | | | | | | | | | |
| | 15 or younger | 21.5 | (17.2 - 26.6) | 645 | 22.3 | (17.0 - 28.6) | 289 | 20.4 | (14.6 - 27.7) | 351 |
| | 16 or 17 | 37.8 | (34.3 - 41.4) | 1,140 | 34.2 | (28.8 - 39.9) | 513 | 41.2 | (37.1 - 45.3) | 625 |
| | 18 or older | 54.5 | (47.9 - 61.0) | 394 | 49.7 | (43.6 - 55.8) | 190 | 59.8 | (49.5 - 69.3) | 201 |
| Grade | | | | | | | | | | |
| | 9th | 23.2 | (18.0 - 29.4) | 661 | 23.9 | (16.9 - 32.6) | 304 | 22.5 | (16.4 - 30.1) | 354 |
| | 10th | 33.0 | (26.5 - 40.3) | 585 | 30.9 | (22.1 - 41.2) | 276 | 35.1 | (29.2 - 41.4) | 307 |
| | 11th | 42.1 | (37.6 - 46.6) | 516 | 36.8 | (29.7 - 44.5) | 221 | 46.6 | (40.4 - 52.9) | 293 |
| | 12th | 53.1 | (46.2 - 59.9) | 409 | 49.5 | (41.6 - 57.3) | 187 | 56.9 | (46.9 - 66.4) | 219 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 47.8 | (40.9 - 54.8) | 231 | - | - | 95 | 44.5 | (33.5 - 56.0) | 133 |
| | Hispanic/Latino | 37.9 | (30.9 - 45.4) | 185 | - | - | 78 | 39.9 | (30.9 - 49.7) | 106 |
| | White* | 35.1 | (32.1 - 38.2) | 1,618 | 32.2 | (28.7 - 36.0) | 754 | 38.1 | (33.3 - 43.1) | 861 |
| | All other races | - | - | 67 | - | - | 34 | - | - | 32 |
| | Multiple races | - | - | 51 | - | - | 18 | - | - | 33 |

Note: There were 139 students who were excluded from the analysis for QN61.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN62: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse

| | | Total | | | Male | | | Female | | | |
|----------|-----------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 23.5 | (19.1 - 28.7) | 767 | 28.7 | (21.1 - 37.7) | 318 | 19.3 | (15.1 - 24.3) | 441 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 23.6 | (13.8 - 37.2) | 132 | _ | _ | 58 | - | - | 73 | |
| | 16 or 17 | 22.9 | (18.6 - 27.9) | 419 | 23.8 | (18.2 - 30.7) | 167 | 22.3 | (16.6 - 29.4) | 250 | |
| | 18 or older | 24.5 | (19.0 - 31.0) | 212 | - | - | 93 | 12.8 | (8.7 - 18.5) | 118 | |
| Grade | | | | | | | | | | | |
| | 9th | 22.6 | (12.1 - 38.1) | 145 | - | - | 66 | - | - | 78 | |
| | 10th | 23.1 | (16.4 - 31.5) | 191 | - | - | 82 | 21.3 | (14.0 - 31.0) | 108 | |
| | 11th | 23.3 | (16.2 - 32.3) | 211 | - | - | 78 | 22.7 | (16.3 - 30.7) | 131 | |
| | 12th | 24.0 | (18.0 - 31.2) | 213 | - | - | 91 | 11.6 | (7.4 - 17.7) | 121 | |
| Race/Eth | nnicity | | | | | | | | | | |
| | Black* | 24.1 | (17.5 - 32.3) | 101 | - | - | 42 | - | - | 56 | |
| | Hispanic/Latino | _ | - | 68 | - | - | 27 | - | - | 41 | |
| | White* | 22.9 | (17.7 - 29.2) | 533 | 27.7 | (18.8 - 38.9) | 225 | 18.8 | (14.0 - 24.8) | 308 | |
| | All other races | - | - | 27 | - | - | 14 | - | - | 12 | |
| | Multiple races | - | - | 21 | - | - | 6 | - | - | 15 | |

Note: There were 1564 students who were excluded from the analysis for QN62.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN63: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse

| | | | Total | | | Male | | Female | | | |
|--------|-----------------|------------|-------------------------------|-----|------------|-------------------------------|-----|------------|-------------------------------|-----|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 57.1 | (53.9 - 60.3) | 778 | 63.8 | (59.4 - 67.9) | 323 | 51.2 | (47.4 - 54.9) | 447 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 70.3 | (59.3 - 79.3) | 138 | - | - | 61 | - | - | 76 | |
| | 16 or 17 | 57.6 | (52.5 - 62.6) | 425 | 64.6 | (57.6 - 71.1) | 170 | 52.1 | (46.0 - 58.2) | 253 | |
| | 18 or older | 49.6 | (43.9 - 55.4) | 211 | - | - | 92 | 42.5 | (34.8 - 50.6) | 118 | |
| Grade | | | | | | | | | | | |
| | 9th | 68.0 | (57.5 - 76.9) | 151 | - | - | 68 | - | - | 82 | |
| | 10th | 61.5 | (54.9 - 67.7) | 191 | - | - | 83 | 54.4 | (44.3 - 64.2) | 107 | |
| | 11th | 53.0 | (46.0 - 59.9) | 218 | - | - | 82 | 47.7 | (38.5 - 56.9) | 134 | |
| | 12th | 50.8 | (45.2 - 56.4) | 211 | - | - | 89 | 45.4 | (38.3 - 52.6) | 121 | |
| Race/E | thnicity | | | | | | | | | | |
| | Black* | - | - | 97 | - | - | 40 | - | - | 54 | |
| | Hispanic/Latino | - | - | 69 | - | - | 28 | - | - | 41 | |
| | White* | 57.8 | (53.4 - 62.2) | 547 | 67.1 | (60.5 - 73.1) | 231 | 49.9 | (45.3 - 54.5) | 316 | |
| | All other races | - | - | 27 | - | - | 14 | - | - | 12 | |
| | Multiple races | - | - | 21 | - | - | 6 | - | - | 15 | |

Note: There were 1553 students who were excluded from the analysis for QN63.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN64: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse

| | | Total | | | Male | | Female | | | |
|---------|-----------------|------------|-------------------------------|-----|------------|-------------------------------|--------|------------|-------------------------------|-----|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 24.1 | (20.0 - 28.6) | 753 | 20.1 | (15.5 - 25.7) | 309 | 27.4 | (22.8 - 32.6) | 434 |
| Age | | | | | | | | | | |
| | 15 or younger | 14.6 | (8.1 - 24.9) | 132 | - | - | 57 | - | - | 73 |
| | 16 or 17 | 22.3 | (17.9 - 27.4) | 408 | 17.6 | (12.2 - 24.7) | 162 | 26.1 | (21.1 - 31.9) | 244 |
| | 18 or older | 30.9 | (22.4 - 40.8) | 208 | - | - | 90 | 36.7 | (28.0 - 46.5) | 117 |
| Grade | | | | | | | | | | |
| | 9th | 17.3 | (10.0 - 28.2) | 143 | - | - | 65 | - | - | 77 |
| | 10th | 15.4 | (10.9 - 21.1) | 188 | - | - | 80 | 19.1 | (12.9 - 27.4) | 107 |
| | 11th | 26.2 | (21.2 - 31.8) | 206 | - | - | 76 | 32.9 | (26.3 - 40.3) | 128 |
| | 12th | 32.0 | (23.6 - 41.7) | 207 | - | - | 87 | 36.3 | (26.5 - 47.4) | 119 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | - | - | 94 | - | - | 37 | - | - | 54 |
| | Hispanic/Latino | - | - | 68 | - | - | 27 | - | - | 41 |
| | White* | 26.1 | (21.4 - 31.4) | 525 | 21.1 | (15.7 - 27.7) | 221 | 30.3 | (25.0 - 36.1) | 304 |
| | All other races | - | - | 26 | - | - | 14 | - | - | 11 |
| | Multiple races | - | - | 21 | - | - | 6 | - | - | 15 |

Note: There were 1578 students who were excluded from the analysis for QN64.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QNROVWGT: Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**

| | | Total | | | | Male | | Female | | | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-----|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 15.3 | (13.6 - 17.2) | 2,099 | 15.9 | (13.3 - 18.8) | 973 | 14.8 | (13.0 - 16.7) | 1,126 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 16.2 | (13.1 - 19.8) | 617 | 17.1 | (11.8 - 24.2) | 275 | 15.3 | (12.6 - 18.4) | 342 | |
| | 16 or 17 | 14.0 | (12.3 - 15.9) | 1,109 | 13.7 | (10.9 - 17.0) | 512 | 14.3 | (12.2 - 16.6) | 597 | |
| | 18 or older | 17.5 | (13.0 - 23.3) | 373 | 19.5 | (13.3 - 27.8) | 186 | 15.3 | (11.2 - 20.6) | 187 | |
| Grade | | | | | | | | | | | |
| | 9th | 15.0 | (12.1 - 18.4) | 631 | 15.8 | (11.1 - 22.0) | 291 | 14.2 | (11.8 - 17.0) | 340 | |
| | 10th | 12.3 | (9.6 - 15.7) | 568 | 11.3 | (7.7 - 16.3) | 275 | 13.3 | (9.6 - 18.2) | 293 | |
| | 11th | 17.0 | (13.3 - 21.3) | 499 | 17.4 | (11.2 - 26.0) | 216 | 16.5 | (13.9 - 19.5) | 283 | |
| | 12th | 17.4 | (13.1 - 22.8) | 391 | 19.5 | (13.3 - 27.6) | 183 | 15.3 | (11.2 - 20.6) | 208 | |
| Race/Et | hnicity | | | | | | | | | | |
| | Black* | 18.7 | (14.2 - 24.3) | 229 | - | - | 97 | 21.1 | (14.1 - 30.3) | 132 | |
| | Hispanic/Latino | 22.6 | (17.1 - 29.3) | 174 | - | - | 83 | - | - | 91 | |
| | White* | 14.4 | (12.4 - 16.7) | 1,557 | 15.8 | (13.1 - 19.1) | 726 | 12.9 | (10.7 - 15.6) | 831 | |
| | All other races | - | - | 59 | - | - | 31 | - | - | 28 | |
| | Multiple races | - | - | 54 | - | - | 22 | - | - | 32 | |

Note: There were 232 students who were excluded from the analysis for QNROVWGT.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.
**Based on reference data from the 2000 CDC Growth Charts.

Indiana High School Survey Summary Table - Weighted Data

QNOVWGT: Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**

| | | Total Percentage 95% | | Male N Percentage 05% N | | | | | Female | |
|---------|-----------------|-----------------------------|-------------------------------|-------------------------|------------|-------------------------------|-----|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 13.8 | (12.0 - 15.9) | 2,099 | 17.8 | (15.4 - 20.4) | 973 | 9.9 | (7.9 - 12.4) | 1,126 |
| Age | | | | | | | | | | |
| | 15 or younger | 14.3 | (10.9 - 18.5) | 617 | 17.5 | (13.7 - 22.0) | 275 | 11.3 | (7.4 - 16.7) | 342 |
| | 16 or 17 | 14.8 | (12.7 - 17.1) | 1,109 | 19.5 | (16.3 - 23.1) | 512 | 10.1 | (7.8 - 12.9) | 597 |
| | 18 or older | 11.0 | (7.4 - 15.9) | 373 | 14.0 | (9.4 - 20.5) | 186 | 7.6 | (4.6 - 12.3) | 187 |
| Grade | | | | | | | | | | |
| | 9th | 13.8 | (10.0 - 18.9) | 631 | 16.5 | (12.3 - 21.7) | 291 | 11.2 | (6.5 - 18.5) | 340 |
| | 10th | 15.5 | (12.6 - 18.9) | 568 | 19.7 | (15.8 - 24.4) | 275 | 11.2 | (7.7 - 16.0) | 293 |
| | 11th | 14.1 | (11.5 - 17.2) | 499 | 18.5 | (14.1 - 23.9) | 216 | 9.9 | (6.3 - 15.3) | 283 |
| | 12th | 11.5 | (8.3 - 15.9) | 391 | 16.2 | (11.6 - 22.1) | 183 | 6.8 | (4.1 - 11.2) | 208 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 16.0 | (11.1 - 22.6) | 229 | - | - | 97 | 12.9 | (7.6 - 21.2) | 132 |
| | Hispanic/Latino | 18.2 | (11.5 - 27.4) | 174 | - | - | 83 | - | - | 91 |
| | White* | 13.4 | (11.6 - 15.4) | 1,557 | 17.2 | (14.9 - 19.9) | 726 | 9.6 | (7.3 - 12.4) | 831 |
| | All other races | - | - | 59 | - | - | 31 | - | - | 28 |
| | Multiple races | - | - | 54 | - | - | 22 | - | - | 32 |

Note: There were 232 students who were excluded from the analysis for QNOVWGT.

N = Number of students.

^{*}Non-Hispanic.

⁻⁼ Less than 100 students in the subgroup.
**Based on reference data from the 2000 CDC Growth Charts.

Indiana High School Survey Summary Table - Weighted Data

QN65: Percentage of students who described themselves as slightly or very overweight

| | | | Total | | | Male | | | Female | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 31.5 | (28.8 - 34.5) | 2,303 | 25.5 | (22.2 - 29.0) | 1,059 | 37.3 | (34.7 - 40.1) | 1,218 |
| Age | | | | | | | | | | |
| | 15 or younger | 28.7 | (24.4 - 33.4) | 688 | 23.0 | (17.9 - 29.0) | 310 | 34.1 | (28.8 - 39.7) | 369 |
| | 16 or 17 | 32.6 | (29.8 - 35.4) | 1,195 | 27.3 | (24.4 - 30.5) | 553 | 38.0 | (34.0 - 42.1) | 640 |
| | 18 or older | 32.4 | (27.4 - 37.8) | 407 | 24.1 | (16.8 - 33.3) | 196 | 40.6 | (35.0 - 46.5) | 207 |
| Grade | | | | | | | | | | |
| | 9th | 28.5 | (24.7 - 32.6) | 701 | 21.8 | (17.3 - 27.0) | 325 | 35.3 | (29.7 - 41.5) | 371 |
| | 10th | 31.7 | (27.5 - 36.1) | 615 | 26.7 | (21.8 - 32.3) | 296 | 36.9 | (31.7 - 42.4) | 316 |
| | 11th | 32.1 | (28.3 - 36.2) | 545 | 27.5 | (22.6 - 33.0) | 239 | 36.7 | (31.9 - 41.8) | 303 |
| | 12th | 34.2 | (28.7 - 40.0) | 417 | 26.5 | (19.3 - 35.1) | 192 | 41.3 | (34.3 - 48.7) | 222 |
| Race/Etl | nnicity | | | | | | | | | |
| | Black* | 26.3 | (18.8 - 35.4) | 249 | 18.6 | (10.8 - 30.3) | 109 | 33.7 | (26.6 - 41.6) | 137 |
| | Hispanic/Latino | 37.6 | (31.7 - 43.8) | 210 | - | - | 93 | 42.7 | (31.5 - 54.6) | 115 |
| | White* | 31.9 | (28.6 - 35.4) | 1,668 | 25.9 | (22.2 - 30.1) | 781 | 37.8 | (34.4 - 41.3) | 883 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 28 students who were excluded from the analysis for QN65.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN66: Percentage of students who were trying to lose weight

| | | | Total | | | Male | | | Female | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 48.7 | (45.2 - 52.1) | 2,304 | 34.0 | (30.3 - 37.9) | 1,058 | 63.7 | (60.4 - 67.0) | 1,219 |
| Age | | | | | | | | | | |
| | 15 or younger | 47.1 | (41.9 - 52.4) | 690 | 34.2 | (28.2 - 40.7) | 311 | 60.6 | (57.3 - 63.8) | 370 |
| | 16 or 17 | 49.8 | (45.7 - 54.0) | 1,196 | 35.4 | (31.0 - 40.0) | 553 | 64.6 | (58.7 - 70.0) | 640 |
| | 18 or older | 47.4 | (41.3 - 53.6) | 405 | 30.4 | (23.1 - 38.8) | 194 | 66.2 | (58.9 - 72.8) | 207 |
| Grade | | | | | | | | | | |
| | 9th | 48.1 | (43.3 - 53.0) | 704 | 34.3 | (28.6 - 40.5) | 326 | 63.1 | (60.4 - 65.7) | 372 |
| | 10th | 48.8 | (43.1 - 54.5) | 615 | 36.1 | (29.0 - 43.9) | 296 | 61.6 | (53.7 - 68.9) | 316 |
| | 11th | 49.2 | (43.1 - 55.4) | 546 | 35.6 | (29.0 - 42.8) | 240 | 63.7 | (56.1 - 70.6) | 303 |
| | 12th | 48.7 | (42.6 - 54.9) | 414 | 29.5 | (23.7 - 36.0) | 189 | 67.8 | (60.6 - 74.3) | 222 |
| Race/Etl | nnicity | | | | | | | | | |
| | Black* | 39.7 | (28.6 - 52.1) | 249 | 27.1 | (17.0 - 40.5) | 109 | 53.9 | (42.1 - 65.2) | 137 |
| | Hispanic/Latino | 58.4 | (50.1 - 66.2) | 211 | - | - | 94 | 64.4 | (53.4 - 74.0) | 115 |
| | White* | 49.5 | (45.4 - 53.6) | 1,667 | 33.9 | (29.4 - 38.7) | 779 | 65.4 | (61.8 - 68.8) | 884 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 27 students who were excluded from the analysis for QN66.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN67: Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days

| | | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------|-----------------|------------|--|-------|------------|---------------------------------------|-------|------------|---|-------|
| | Total | 62.0 | (59.0 - 64.9) | 2,300 | 54.6 | (51.3 - 58.0) | 1,058 | 69.7 | (66.3 - 73.0) | 1,219 |
| Age | | | | | | | | | | |
| | 15 or younger | 66.2 | (61.8 - 70.3) | 687 | 62.5 | (55.8 - 68.7) | 311 | 71.1 | (66.5 - 75.3) | 370 |
| | 16 or 17 | 61.6 | (58.2 - 65.0) | 1,195 | 53.0 | (48.4 - 57.6) | 551 | 70.3 | (65.0 - 75.1) | 641 |
| | 18 or older | 57.1 | (51.3 - 62.7) | 407 | 48.4 | (41.7 - 55.3) | 196 | 66.5 | (59.2 - 73.1) | 207 |
| Grade | | | | | | | | | | |
| | 9th | 66.9 | (62.2 - 71.2) | 705 | 61.8 | (55.2 - 68.0) | 326 | 73.1 | (68.7 - 77.1) | 373 |
| | 10th | 59.4 | (55.4 - 63.3) | 613 | 53.1 | (47.7 - 58.4) | 294 | 65.8 | (60.3 - 71.0) | 317 |
| | 11th | 62.7 | (57.5 - 67.6) | 543 | 53.5 | (45.7 - 61.2) | 239 | 72.0 | (62.7 - 79.7) | 302 |
| | 12th | 58.0 | (52.1 - 63.8) | 416 | 48.4 | (42.2 - 54.7) | 192 | 68.0 | (60.4 - 74.8) | 221 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 55.1 | (48.5 - 61.5) | 248 | 60.9 | (53.2 - 68.1) | 109 | 49.2 | (40.7 - 57.7) | 136 |
| | Hispanic/Latino | 69.8 | (62.9 - 75.8) | 212 | - | - | 94 | 68.0 | (59.0 - 75.9) | 117 |
| | White* | 62.7 | (59.1 - 66.2) | 1,669 | 53.0 | (48.8 - 57.1) | 781 | 72.9 | (69.3 - 76.2) | 884 |
| | All other races | - | - | 69 | - | - | 35 | - | - | 33 |
| | Multiple races | - | - | 54 | - | - | 21 | - | - | 33 |

Note: There were 31 students who were excluded from the analysis for QN67.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN68: Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 43.7 | (40.6 - 46.8) | 2,300 | 30.8 | (28.1 - 33.6) | 1,056 | 56.6 | (53.0 - 60.1) | 1,219 |
| Age | | | | | | | | | | |
| | 15 or younger | 41.0 | (36.3 - 45.8) | 686 | 29.8 | (23.6 - 37.0) | 310 | 52.1 | (47.8 - 56.4) | 369 |
| | 16 or 17 | 43.0 | (39.3 - 46.8) | 1,196 | 30.5 | (26.9 - 34.3) | 551 | 55.6 | (50.2 - 60.8) | 642 |
| | 18 or older | 48.7 | (43.0 - 54.5) | 405 | 32.8 | (25.1 - 41.6) | 195 | 65.8 | (58.8 - 72.2) | 206 |
| Grade | | | | | | | | | | |
| | 9th | 40.9 | (36.1 - 45.9) | 703 | 29.4 | (23.2 - 36.5) | 326 | 52.8 | (48.3 - 57.4) | 371 |
| | 10th | 41.6 | (36.3 - 47.2) | 612 | 30.4 | (24.9 - 36.5) | 294 | 52.7 | (45.5 - 59.8) | 316 |
| | 11th | 43.6 | (38.4 - 48.9) | 543 | 28.6 | (23.5 - 34.4) | 237 | 58.3 | (51.0 - 65.3) | 304 |
| | 12th | 50.1 | (43.9 - 56.3) | 417 | 35.8 | (29.0 - 43.2) | 192 | 64.4 | (57.0 - 71.3) | 222 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 30.4 | (23.9 - 37.7) | 246 | 20.9 | (15.6 - 27.3) | 107 | 39.0 | (30.8 - 47.9) | 136 |
| | Hispanic/Latino | 48.2 | (41.6 - 54.9) | 211 | - | - | 93 | 49.9 | (38.2 - 61.7) | 116 |
| | White* | 44.9 | (41.4 - 48.6) | 1,670 | 31.0 | (27.7 - 34.5) | 782 | 59.1 | (55.3 - 62.9) | 884 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 54 | - | - | 21 | - | - | 33 |

Note: There were 31 students who were excluded from the analysis for QN68.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN69: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days

| | | Total Percentage 95% | | Male OF W. N. | | | | Female | | |
|----------|-----------------|----------------------|-------------------------------|---------------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 12.8 | (11.5 - 14.2) | 2,296 | 9.5 | (8.0 - 11.4) | 1,052 | 15.8 | (14.2 - 17.6) | 1,218 |
| Age | | | | | | | | | | |
| | 15 or younger | 13.4 | (11.1 - 16.0) | 686 | 9.6 | (6.8 - 13.3) | 309 | 17.0 | (14.3 - 20.2) | 369 |
| | 16 or 17 | 12.6 | (10.9 - 14.6) | 1,193 | 9.8 | (7.3 - 13.0) | 548 | 15.5 | (13.1 - 18.1) | 642 |
| | 18 or older | 12.0 | (8.4 - 16.8) | 405 | 8.9 | (5.5 - 14.1) | 195 | 15.1 | (10.8 - 20.6) | 206 |
| Grade | | | | | | | | | | |
| | 9th | 14.3 | (11.8 - 17.2) | 702 | 9.9 | (6.9 - 13.9) | 324 | 18.9 | (15.9 - 22.2) | 372 |
| | 10th | 13.2 | (11.1 - 15.6) | 613 | 10.4 | (7.3 - 14.4) | 294 | 16.1 | (12.2 - 21.0) | 316 |
| | 11th | 12.1 | (8.4 - 17.2) | 543 | 10.4 | (6.0 - 17.5) | 237 | 14.0 | (9.4 - 20.4) | 304 |
| | 12th | 10.6 | (7.2 - 15.5) | 413 | 7.4 | (4.4 - 12.0) | 190 | 13.7 | (9.6 - 19.2) | 220 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 15.2 | (10.7 - 21.1) | 245 | 11.0 | (5.7 - 20.3) | 106 | 19.2 | (12.0 - 29.2) | 136 |
| | Hispanic/Latino | 19.2 | (14.5 - 25.0) | 211 | - | - | 93 | 20.5 | (15.3 - 26.8) | 116 |
| | White* | 11.8 | (10.2 - 13.5) | 1,667 | 8.8 | (7.0 - 11.0) | 779 | 14.8 | (12.9 - 17.0) | 884 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 35 students who were excluded from the analysis for QN69.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN70: Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days

| | | Total | | Male | | | Female | | |
|----------------|------------|---------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | Percentage | e 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 7.2 | (6.1 - 8.6) | 2,302 | 5.7 | (4.5 - 7.1) | 1,056 | 8.4 | (6.8 - 10.4) | 1,221 |
| Age | | | | | | | | | |
| 15 or younge | r 5.5 | (4.1 - 7.2) | 688 | 2.8 | (1.4 - 5.4) | 311 | 8.1 | (5.8 - 11.1) | 370 |
| 16 or 17 | 6.9 | (5.5 - 8.5) | 1,195 | 5.6 | (4.2 - 7.3) | 550 | 8.1 | (5.8 - 11.1) | 642 |
| 18 or older | 9.8 | (7.1 - 13.3) | 406 | 9.8 | (6.1 - 15.2) | 195 | 9.9 | (6.4 - 15.0) | 207 |
| Grade | | | | | | | | | |
| 9th | 5.8 | (4.3 - 7.8) | 707 | 2.9 | (1.4 - 5.7) | 328 | 8.8 | (6.2 - 12.2) | 373 |
| 10th | 7.6 | (5.9 - 9.6) | 615 | 6.7 | (4.9 - 9.0) | 296 | 8.3 | (5.7 - 11.9) | 316 |
| 11th | 6.2 | (4.7 - 8.1) | 541 | 5.0 | (2.6 - 9.6) | 234 | 7.5 | (4.7 - 11.8) | 304 |
| 12th | 8.9 | (6.6 - 12.0) | 416 | 8.9 | (5.6 - 13.8) | 191 | 9.1 | (6.0 - 13.5) | 222 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 6.1 | (3.4 - 10.7) | 249 | 4.8 | (2.2 - 10.1) | 109 | 7.6 | (3.3 - 16.8) | 137 |
| Hispanic/Lat | ino 8.3 | (5.5 - 12.3) | 211 | - | - | 93 | 10.0 | (5.6 - 17.1) | 117 |
| White* | 6.9 | (5.5 - 8.7) | 1,670 | 5.7 | (4.0 - 8.0) | 781 | 8.1 | (6.5 - 10.2) | 885 |
| All other race | es - | - | 69 | - | - | 35 | - | - | 33 |
| Multiple race | es - | - | 54 | - | - | 21 | - | - | 33 |

Note: There were 29 students who were excluded from the analysis for QN70.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN71: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days

| | | | , | Total | | | | | Male | | | | Female | |
|---------|-----------------|------------|-----|------------------------|-------|-------|------------|---|----------------------------|------|-------|------------|-------------------------------|-------|
| | | Percentage | | 959 confid inter | lence | N | Percentage | | 95% confider interva | | N | Percentage | 95% confidence interval | N |
| | Total | 5.1 | (3 | 3.8 - | 6.8) | 2,300 | 4.0 | (| 2.6 - | 6.0) | 1,058 | 6.1 | (4.6 - 8.1) | 1,216 |
| Age | | | | | | | | | | | | | | |
| | 15 or younger | 6.0 | (3 | 3.6 - | 9.9) | 686 | 4.0 | (| 2.4 - | 6.5) | 310 | 7.6 | (4.6 - 12.3) | 368 |
| | 16 or 17 | 5.2 | (3 | 3.9 - | 7.0) | 1,196 | 4.0 | (| 2.6 - | 6.1) | 553 | 6.5 | (4.5 - 9.1) | 640 |
| | 18 or older | 3.3 | (1 | .8 - | 6.1) | 404 | 4.0 | (| 1.7 - | 9.0) | 195 | 2.6 | (1.1 - 6.0) | 206 |
| Grade | | | | | | | | | | | | | | |
| | 9th | 5.9 | (3 | 3.9 - | 8.9) | 703 | 3.1 | (| 1.9 - | 5.2) | 326 | 8.9 | (5.9 - 13.1) | 372 |
| | 10th | 5.8 | (4 | 1.2 - | 7.9) | 617 | 5.9 | (| 3.3 - 1 | 0.3) | 298 | 5.4 | (3.5 - 8.3) | 316 |
| | 11th | 4.6 | (2 | 2.5 - | 8.3) | 539 | 3.4 | (| 1.4 - | 8.2) | 235 | 5.3 | (2.8 - 9.5) | 301 |
| | 12th | 3.5 | (1 | - 8. | 6.8) | 416 | 3.1 | (| 1.1 - | 8.4) | 192 | 3.9 | (1.7 - 8.9) | 221 |
| Race/Et | hnicity | | | | | | | | | | | | | |
| | Black* | 6.8 | (4 | 1.3 - | 10.5) | 246 | 6.6 | (| 3.2 - 1 | 3.2) | 107 | 7.1 | (3.9 - 12.4) | 136 |
| | Hispanic/Latino | 8.6 | (4 | - 8.4 | 14.9) | 214 | - | | - | | 95 | 5.8 | (2.3 - 13.6) | 117 |
| | White* | 4.2 | (3 | 3.0 - | 5.9) | 1,668 | 3.0 | (| 1.8 - | 5.0) | 781 | 5.5 | (3.9 - 7.6) | 883 |
| | All other races | - | | - | | 68 | - | | - | | 35 | - | - | 32 |
| | Multiple races | - | | - | | 55 | - | | - | | 22 | - | - | 33 |

Note: There were 31 students who were excluded from the analysis for QN71.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN72: Percentage of students who drank 100% fruit juices one or more times during the past seven days

| | | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------|-----------------|------------|-------------------------------|-------|------------|---------------------------------------|-------|------------|--------------------------------|-------|
| | Total | 77.4 | (75.2 - 79.4) | 2,307 | 77.6 | (74.0 - 80.8) | 1,055 | 77.0 | (73.9 - 79.8) | 1,223 |
| Age | | | | | | | | | | |
| J | 15 or younger | 77.2 | (73.5 - 80.6) | 691 | 79.8 | (72.1 - 85.8) | 311 | 75.1 | (70.2 - 79.5) | 371 |
| | 16 or 17 | 78.0 | (75.5 - 80.3) | 1,196 | 79.1 | (75.9 - 82.0) | 550 | 76.9 | (72.9 - 80.4) | 643 |
| | 18 or older | 75.3 | (70.0 - 79.8) | 406 | 71.1 | (64.2 - 77.2) | 194 | 79.6 | (73.5 - 84.6) | 207 |
| Grade | | | | | | | | | | |
| | 9th | 76.3 | (72.6 - 79.6) | 706 | 78.8 | (72.9 - 83.7) | 326 | 74.2 | (68.7 - 79.1) | 374 |
| | 10th | 78.0 | (74.9 - 80.8) | 614 | 77.8 | (72.6 - 82.3) | 295 | 78.2 | (74.3 - 81.6) | 316 |
| | 11th | 78.1 | (73.5 - 82.1) | 543 | 79.6 | (74.9 - 83.6) | 235 | 76.9 | (68.8 - 83.4) | 305 |
| | 12th | 76.6 | (71.9 - 80.7) | 417 | 74.0 | (67.9 - 79.3) | 192 | 79.0 | (73.3 - 83.8) | 222 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 84.2 | (78.1 - 88.8) | 248 | 86.6 | (76.6 - 92.8) | 108 | 82.4 | (77.1 - 86.7) | 137 |
| | Hispanic/Latino | 76.7 | (69.3 - 82.8) | 213 | - | - | 94 | 75.3 | (64.6 - 83.5) | 117 |
| | White* | 76.3 | (74.1 - 78.4) | 1,669 | 76.9 | (73.4 - 80.0) | 779 | 75.9 | (72.5 - 79.1) | 886 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 24 students who were excluded from the analysis for QN72.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN73: Percentage of students who ate fruit one or more times during the past seven days

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 89.3 | (87.4 - 91.0) | 2,304 | 87.5 | (85.0 - 89.7) | 1,055 | 91.4 | (89.2 - 93.1) | 1,221 |
| Age | | | | | | | | | | |
| | 15 or younger | 91.0 | (88.2 - 93.2) | 691 | 89.8 | (85.7 - 92.8) | 311 | 92.3 | (87.9 - 95.2) | 371 |
| | 16 or 17 | 89.7 | (87.1 - 91.7) | 1,195 | 87.0 | (83.4 - 89.9) | 551 | 92.3 | (89.5 - 94.4) | 641 |
| | 18 or older | 86.2 | (80.9 - 90.2) | 405 | 86.0 | (81.1 - 89.7) | 193 | 87.7 | (80.9 - 92.3) | 207 |
| Grade | | | | | | | | | | |
| | 9th | 89.7 | (86.7 - 92.1) | 705 | 88.8 | (84.5 - 92.0) | 326 | 90.8 | (86.6 - 93.8) | 373 |
| | 10th | 89.5 | (86.7 - 91.7) | 616 | 85.2 | (80.5 - 88.9) | 297 | 93.8 | (89.8 - 96.3) | 316 |
| | 11th | 90.2 | (87.0 - 92.7) | 544 | 88.3 | (84.0 - 91.6) | 236 | 92.5 | (89.1 - 94.9) | 305 |
| | 12th | 88.1 | (83.9 - 91.3) | 413 | 88.0 | (83.6 - 91.4) | 190 | 88.1 | (81.5 - 92.5) | 221 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 88.3 | (82.9 - 92.2) | 247 | 91.0 | (82.7 - 95.6) | 107 | 86.4 | (78.1 - 91.9) | 137 |
| | Hispanic/Latino | 88.5 | (81.3 - 93.2) | 212 | - | - | 93 | 91.0 | (84.2 - 95.1) | 117 |
| | White* | 89.8 | (87.8 - 91.5) | 1,670 | 87.8 | (85.1 - 90.0) | 782 | 91.9 | (89.8 - 93.6) | 884 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 27 students who were excluded from the analysis for QN73.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN74: Percentage of students who ate green salad one or more times during the past seven days

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 65.9 | (63.3 - 68.3) | 2,305 | 60.8 | (57.7 - 63.8) | 1,056 | 70.8 | (67.8 - 73.7) | 1,221 |
| Age | | | | | | | | | | |
| | 15 or younger | 63.7 | (57.9 - 69.2) | 690 | 59.8 | (51.8 - 67.4) | 312 | 67.8 | (60.4 - 74.3) | 370 |
| | 16 or 17 | 65.2 | (62.7 - 67.6) | 1,196 | 59.3 | (56.3 - 62.2) | 551 | 71.0 | (66.9 - 74.7) | 642 |
| | 18 or older | 70.0 | (63.8 - 75.6) | 405 | 65.7 | (57.9 - 72.7) | 193 | 74.9 | (66.3 - 82.0) | 207 |
| Grade | | | | | | | | | | |
| | 9th | 63.2 | (58.1 - 68.0) | 704 | 60.3 | (53.0 - 67.3) | 326 | 66.6 | (60.7 - 72.1) | 373 |
| | 10th | 66.4 | (62.5 - 70.0) | 617 | 60.1 | (54.5 - 65.5) | 297 | 72.9 | (67.1 - 78.0) | 317 |
| | 11th | 63.6 | (58.8 - 68.1) | 542 | 57.7 | (52.3 - 62.9) | 236 | 69.5 | (61.7 - 76.3) | 303 |
| | 12th | 70.5 | (65.1 - 75.3) | 416 | 65.7 | (58.9 - 71.9) | 191 | 75.0 | (67.1 - 81.5) | 222 |
| Race/Et | nnicity | | | | | | | | | |
| | Black* | 48.9 | (40.7 - 57.2) | 247 | 42.6 | (34.0 - 51.5) | 108 | 55.6 | (46.8 - 64.2) | 137 |
| | Hispanic/Latino | 63.2 | (54.2 - 71.4) | 211 | - | - | 93 | 67.1 | (55.6 - 76.8) | 116 |
| | White* | 68.2 | (66.2 - 70.2) | 1,670 | 63.7 | (61.0 - 66.3) | 781 | 73.0 | (69.7 - 76.0) | 885 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 26 students who were excluded from the analysis for QN74.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN75: Percentage of students who ate potatoes one or more times during the past seven days

| | | _ | Total | | _ | Male | | | Female | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 72.8 | (69.9 - 75.6) | 2,303 | 71.8 | (69.2 - 74.4) | 1,056 | 73.9 | (69.6 - 77.8) | 1,220 |
| Age | | | | | | | | | | |
| | 15 or younger | 71.7 | (67.0 - 76.0) | 689 | 69.7 | (63.5 - 75.2) | 312 | 73.7 | (66.9 - 79.6) | 369 |
| | 16 or 17 | 72.4 | (68.5 - 76.1) | 1,196 | 72.6 | (68.6 - 76.3) | 551 | 72.4 | (66.4 - 77.8) | 642 |
| | 18 or older | 75.3 | (69.6 - 80.3) | 405 | 72.8 | (63.9 - 80.1) | 193 | 77.8 | (69.7 - 84.2) | 207 |
| Grade | | | | | | | | | | |
| | 9th | 72.0 | (67.4 - 76.2) | 703 | 72.5 | (65.9 - 78.3) | 326 | 71.6 | (65.6 - 77.0) | 372 |
| | 10th | 70.7 | (65.9 - 75.0) | 616 | 70.3 | (65.8 - 74.4) | 297 | 70.9 | (64.2 - 76.7) | 316 |
| | 11th | 75.0 | (71.0 - 78.6) | 543 | 73.4 | (68.2 - 78.0) | 236 | 76.6 | (69.9 - 82.3) | 304 |
| | 12th | 74.1 | (68.2 - 79.2) | 416 | 70.9 | (62.2 - 78.4) | 191 | 77.4 | (68.9 - 84.1) | 222 |
| Race/Etl | nnicity | | | | | | | | | |
| | Black* | 62.9 | (55.1 - 70.0) | 247 | 62.6 | (51.5 - 72.5) | 108 | 63.2 | (53.7 - 71.8) | 137 |
| | Hispanic/Latino | 61.5 | (53.9 - 68.4) | 210 | - | - | 93 | 62.3 | (51.1 - 72.3) | 115 |
| | White* | 74.6 | (71.7 - 77.4) | 1,671 | 73.3 | (70.4 - 75.9) | 782 | 76.0 | (71.6 - 79.9) | 885 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 28 students who were excluded from the analysis for QN75.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN76: Percentage of students who ate carrots one or more times during the past seven days

| | | Total | | | | Male | | Female | | | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 45.2 | (42.0 - 48.4) | 2,302 | 46.7 | (43.3 - 50.2) | 1,055 | 43.4 | (39.6 - 47.3) | 1,220 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 43.6 | (38.0 - 49.4) | 689 | 45.8 | (39.2 - 52.5) | 312 | 41.2 | (35.4 - 47.3) | 369 | |
| | 16 or 17 | 45.6 | (42.0 - 49.2) | 1,195 | 47.6 | (43.4 - 52.0) | 550 | 43.5 | (39.1 - 48.1) | 642 | |
| | 18 or older | 45.9 | (40.7 - 51.3) | 405 | 45.7 | (38.1 - 53.5) | 193 | 46.0 | (38.5 - 53.7) | 207 | |
| Grade | | | | | | | | | | | |
| | 9th | 42.9 | (37.0 - 49.0) | 704 | 45.6 | (38.2 - 53.3) | 327 | 39.8 | (34.4 - 45.5) | 372 | |
| | 10th | 44.3 | (40.4 - 48.2) | 615 | 47.4 | (42.4 - 52.5) | 296 | 40.8 | (34.2 - 47.7) | 316 | |
| | 11th | 46.9 | (41.4 - 52.5) | 542 | 47.2 | (39.6 - 55.0) | 235 | 47.3 | (42.0 - 52.6) | 304 | |
| | 12th | 46.7 | (41.5 - 51.9) | 416 | 46.5 | (39.2 - 54.0) | 191 | 47.0 | (38.8 - 55.3) | 222 | |
| Race/Et | hnicity | | | | | | | | | | |
| | Black* | 34.1 | (26.2 - 43.1) | 246 | 31.6 | (21.6 - 43.7) | 107 | 37.4 | (28.3 - 47.4) | 137 | |
| | Hispanic/Latino | 47.1 | (38.9 - 55.4) | 210 | - | - | 93 | 47.7 | (38.3 - 57.3) | 115 | |
| | White* | 46.4 | (43.5 - 49.4) | 1,671 | 48.8 | (46.0 - 51.6) | 782 | 44.1 | (40.0 - 48.2) | 885 | |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 | |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 | |

Note: There were 29 students who were excluded from the analysis for QN76.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN77: Percentage of students who ate other vegetables one or more times during the past seven days

| | | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------|-----------------|------------|--|-------|------------|---------------------------------------|-------|------------|---|-------|
| | Total | 82.2 | (80.3 - 84.0) | 2,297 | 80.3 | (77.2 - 83.2) | 1,054 | 84.0 | (81.5 - 86.2) | 1,217 |
| Age | | | | | | | | | | |
| | 15 or younger | 82.1 | (79.0 - 84.9) | 686 | 80.0 | (73.1 - 85.4) | 311 | 84.2 | (80.6 - 87.2) | 368 |
| | 16 or 17 | 81.2 | (78.6 - 83.6) | 1,194 | 79.5 | (75.3 - 83.2) | 550 | 82.9 | (79.6 - 85.7) | 641 |
| | 18 or older | 84.5 | (80.7 - 87.6) | 404 | 82.8 | (75.7 - 88.1) | 193 | 86.5 | (80.4 - 90.8) | 206 |
| Grade | | | | | | | | | | |
| | 9th | 82.2 | (78.8 - 85.2) | 701 | 82.7 | (76.2 - 87.7) | 325 | 81.4 | (77.5 - 84.8) | 371 |
| | 10th | 81.7 | (78.2 - 84.8) | 615 | 78.2 | (71.5 - 83.8) | 296 | 85.5 | (82.0 - 88.4) | 316 |
| | 11th | 80.8 | (75.4 - 85.2) | 541 | 77.1 | (68.8 - 83.7) | 236 | 84.7 | (79.6 - 88.8) | 302 |
| | 12th | 83.8 | (80.3 - 86.8) | 416 | 83.3 | (77.0 - 88.2) | 191 | 84.5 | (78.4 - 89.1) | 222 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 73.8 | (67.2 - 79.5) | 244 | 69.9 | (59.7 - 78.4) | 107 | 78.6 | (69.5 - 85.5) | 135 |
| | Hispanic/Latino | 76.1 | (68.9 - 82.1) | 209 | - | - | 93 | 75.6 | (65.6 - 83.3) | 114 |
| | White* | 83.9 | (81.8 - 85.7) | 1,669 | 82.4 | (78.7 - 85.6) | 780 | 85.3 | (82.2 - 87.9) | 885 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 34 students who were excluded from the analysis for QN77.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days

| | | Percentage | Total 95% | N | Percentage | Male 95% | N | Percentage | Female 95% | N |
|----------|-----------------|------------|------------------------|-------|------------|------------------------|-------|------------|------------------------|-------|
| | | | confidence interval | | | confidence interval | | | confidence interval | |
| | Total | 18.2 | (16.4 - 20.2) | 2,280 | 18.9 | (16.3 - 21.9) | 1,044 | 17.2 | (15.4 - 19.2) | 1,211 |
| Age | | | | | | | | | | |
| | 15 or younger | 17.5 | (14.3 - 21.3) | 683 | 18.5 | (13.3 - 25.3) | 309 | 16.5 | (12.6 - 21.3) | 367 |
| | 16 or 17 | 19.3 | (16.8 - 22.1) | 1,181 | 20.1 | (15.8 - 25.1) | 542 | 18.3 | (15.4 - 21.7) | 636 |
| | 18 or older | 16.0 | (12.9 - 19.7) | 404 | 16.7 | (13.9 - 20.0) | 193 | 15.6 | (11.0 - 21.6) | 206 |
| Grade | | | | | | | | | | |
| | 9th | 20.2 | (16.8 - 24.0) | 697 | 22.9 | (17.5 - 29.2) | 323 | 17.4 | (12.9 - 23.0) | 369 |
| | 10th | 16.6 | (12.8 - 21.4) | 608 | 18.0 | (13.1 - 24.4) | 291 | 15.1 | (10.7 - 20.9) | 314 |
| | 11th | 19.6 | (17.1 - 22.5) | 538 | 19.2 | (15.4 - 23.7) | 234 | 20.0 | (15.2 - 25.9) | 301 |
| | 12th | 15.3 | (12.0 - 19.2) | 413 | 14.4 | (11.3 - 18.0) | 190 | 16.3 | (12.0 - 21.8) | 221 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 27.7 | (23.0 - 32.9) | 241 | 29.5 | (24.3 - 35.2) | 104 | 25.6 | (19.3 - 33.1) | 135 |
| | Hispanic/Latino | 25.0 | (19.8 - 31.1) | 208 | - | - | 92 | 19.2 | (10.9 - 31.6) | 114 |
| | White* | 16.0 | (14.1 - 18.1) | 1,658 | 16.6 | (13.8 - 19.8) | 775 | 15.3 | (13.4 - 17.4) | 879 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 51 students who were excluded from the analysis for QNFRVG.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN78: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 35.6 | (32.1 - 39.2) | 2,292 | 43.4 | (39.5 - 47.4) | 1,052 | 27.6 | (23.4 - 32.3) | 1,213 |
| Age | | | | | | | | | | |
| | 15 or younger | 36.0 | (31.5 - 40.9) | 684 | 40.6 | (35.1 - 46.2) | 309 | 31.9 | (24.8 - 40.0) | 368 |
| | 16 or 17 | 35.8 | (31.3 - 40.7) | 1,193 | 44.3 | (39.3 - 49.4) | 552 | 27.3 | (21.6 - 33.8) | 638 |
| | 18 or older | 34.3 | (29.3 - 39.8) | 401 | 44.9 | (35.2 - 55.0) | 191 | 22.5 | (16.9 - 29.4) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 38.8 | (34.2 - 43.6) | 700 | 44.5 | (39.3 - 49.8) | 324 | 32.9 | (25.9 - 40.7) | 371 |
| | 10th | 35.5 | (29.9 - 41.6) | 614 | 44.2 | (37.5 - 51.1) | 297 | 26.8 | (21.2 - 33.3) | 314 |
| | 11th | 33.7 | (28.5 - 39.4) | 538 | 40.2 | (32.4 - 48.5) | 235 | 27.2 | (20.0 - 35.9) | 301 |
| | 12th | 32.8 | (27.6 - 38.4) | 414 | 44.2 | (35.0 - 53.8) | 190 | 21.6 | (16.3 - 28.2) | 221 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 36.9 | (25.6 - 49.8) | 244 | 45.6 | (29.8 - 62.4) | 107 | 27.8 | (18.9 - 38.9) | 135 |
| | Hispanic/Latino | 34.4 | (26.8 - 42.9) | 207 | - | - | 93 | 25.5 | (18.1 - 34.6) | 112 |
| | White* | 35.2 | (32.0 - 38.6) | 1,665 | 42.8 | (39.1 - 46.6) | 778 | 27.5 | (22.9 - 32.7) | 883 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 39 students who were excluded from the analysis for QN78.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN79: Percentage of students who drank three or more glasses per day of milk during the past seven days

| | | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|---------|-----------------|------------|--|-------|------------|---------------------------------------|-------|------------|---|-------|
| | Total | 16.7 | (14.7 - 19.0) | 2,286 | 21.2 | (17.9 - 25.0) | 1,046 | 11.9 | (10.0 - 14.0) | 1,212 |
| Age | | | | | | | | | | |
| | 15 or younger | 18.5 | (15.6 - 21.9) | 683 | 22.7 | (17.2 - 29.3) | 308 | 14.9 | (12.1 - 18.1) | 367 |
| | 16 or 17 | 16.9 | (13.9 - 20.5) | 1,188 | 21.9 | (17.0 - 27.7) | 548 | 11.8 | (9.1 - 15.2) | 637 |
| | 18 or older | 13.5 | (10.5 - 17.2) | 401 | 17.7 | (12.9 - 23.8) | 190 | 7.9 | (5.1 - 12.0) | 206 |
| Grade | | | | | | | | | | |
| | 9th | 17.7 | (14.2 - 21.7) | 697 | 22.5 | (16.6 - 29.7) | 322 | 12.6 | (9.7 - 16.2) | 370 |
| | 10th | 19.6 | (14.3 - 26.2) | 612 | 23.3 | (15.4 - 33.6) | 295 | 16.0 | (10.6 - 23.3) | 314 |
| | 11th | 15.3 | (12.0 - 19.3) | 536 | 19.2 | (13.6 - 26.3) | 233 | 11.3 | (8.2 - 15.3) | 300 |
| | 12th | 12.8 | (10.4 - 15.7) | 415 | 19.4 | (14.6 - 25.2) | 190 | 6.4 | (3.9 - 10.2) | 222 |
| Race/Et | nnicity | | | | | | | | | |
| | Black* | 10.5 | (6.3 - 17.0) | 243 | 12.3 | (5.6 - 25.0) | 106 | 8.1 | (4.7 - 13.7) | 135 |
| | Hispanic/Latino | 11.7 | (5.9 - 21.7) | 206 | - | - | 93 | 5.7 | (2.3 - 13.3) | 111 |
| | White* | 17.7 | (15.6 - 20.0) | 1,660 | 22.9 | (19.4 - 26.8) | 773 | 12.5 | (10.4 - 15.1) | 883 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 45 students who were excluded from the analysis for QN79.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 43.7 | (41.1 - 46.3) | 2,284 | 50.9 | (47.3 - 54.4) | 1,047 | 36.6 | (33.2 - 40.1) | 1,210 |
| Age | | | | | | | | | | |
| | 15 or younger | 52.0 | (47.0 - 56.8) | 682 | 60.2 | (52.9 - 67.0) | 308 | 44.6 | (38.3 - 51.1) | 366 |
| | 16 or 17 | 41.7 | (38.5 - 44.9) | 1,188 | 46.8 | (42.4 - 51.2) | 548 | 36.6 | (31.6 - 41.9) | 637 |
| | 18 or older | 37.9 | (32.9 - 43.1) | 401 | 48.8 | (42.0 - 55.7) | 191 | 25.9 | (20.3 - 32.5) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 51.9 | (47.0 - 56.8) | 697 | 59.5 | (53.5 - 65.3) | 322 | 44.7 | (37.9 - 51.7) | 369 |
| | 10th | 41.8 | (37.7 - 46.0) | 612 | 47.2 | (41.4 - 53.2) | 295 | 36.6 | (30.6 - 43.0) | 314 |
| | 11th | 39.0 | (34.3 - 44.0) | 537 | 44.0 | (37.4 - 50.8) | 233 | 34.4 | (28.5 - 40.7) | 301 |
| | 12th | 39.9 | (35.3 - 44.8) | 414 | 51.9 | (45.8 - 57.9) | 191 | 27.9 | (22.5 - 33.9) | 220 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 41.3 | (32.4 - 50.8) | 243 | 50.7 | (37.9 - 63.4) | 105 | 32.2 | (23.3 - 42.6) | 135 |
| | Hispanic/Latino | 36.1 | (26.9 - 46.4) | 204 | - | - | 93 | 28.7 | (20.7 - 38.3) | 109 |
| | White* | 44.6 | (41.8 - 47.5) | 1,662 | 51.5 | (47.1 - 55.9) | 775 | 37.7 | (34.0 - 41.7) | 883 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 47 students who were excluded from the analysis for QN80.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN81: Percentage of students who watched three or more hours per day of TV on an average school day

| | | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------|-----------------|------------|--|-------|------------|---------------------------------------|-------|------------|---|-------|
| | Total | 28.7 | (25.6 - 32.1) | 2,291 | 30.9 | (26.7 - 35.4) | 1,049 | 26.1 | (22.8 - 29.6) | 1,213 |
| Age | | | | | | | | | | |
| | 15 or younger | 28.9 | (23.6 - 34.7) | 687 | 27.5 | (20.4 - 35.9) | 309 | 30.0 | (24.0 - 36.6) | 369 |
| | 16 or 17 | 29.2 | (26.4 - 32.3) | 1,188 | 32.0 | (27.9 - 36.3) | 548 | 26.5 | (22.8 - 30.4) | 637 |
| | 18 or older | 26.7 | (20.9 - 33.4) | 402 | 32.7 | (24.0 - 42.9) | 192 | 19.9 | (13.7 - 28.0) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 29.7 | (24.8 - 35.1) | 701 | 29.0 | (22.8 - 36.1) | 323 | 30.5 | (24.9 - 36.7) | 372 |
| | 10th | 27.4 | (23.7 - 31.5) | 611 | 29.2 | (23.5 - 35.6) | 294 | 25.8 | (20.7 - 31.6) | 314 |
| | 11th | 30.0 | (25.6 - 34.8) | 539 | 33.9 | (26.9 - 41.6) | 235 | 25.7 | (19.7 - 32.8) | 301 |
| | 12th | 26.3 | (20.6 - 32.9) | 414 | 32.0 | (23.9 - 41.3) | 191 | 20.7 | (14.4 - 28.9) | 220 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 58.5 | (50.4 - 66.1) | 244 | 58.9 | (49.2 - 67.9) | 107 | 58.2 | (47.6 - 68.1) | 134 |
| | Hispanic/Latino | 29.1 | (21.6 - 38.0) | 208 | - | - | 93 | 29.4 | (22.4 - 37.5) | 113 |
| | White* | 24.3 | (21.5 - 27.3) | 1,663 | 27.0 | (22.8 - 31.7) | 776 | 21.4 | (18.2 - 25.0) | 883 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 54 | - | - | 21 | - | - | 33 |

Note: There were 40 students who were excluded from the analysis for QN81.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day

| | | | Total | | | Male | | | Female | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 20.9 | (18.6 - 23.4) | 2,286 | 27.3 | (23.7 - 31.1) | 1,047 | 14.0 | (11.9 - 16.4) | 1,210 |
| Age | | | | | | | | | | |
| | 15 or younger | 21.4 | (17.7 - 25.6) | 686 | 25.0 | (19.3 - 31.8) | 309 | 17.3 | (12.3 - 23.7) | 368 |
| | 16 or 17 | 20.5 | (18.4 - 22.7) | 1,186 | 28.8 | (25.3 - 32.5) | 548 | 12.0 | (9.5 - 14.9) | 635 |
| | 18 or older | 21.0 | (15.7 - 27.6) | 400 | 26.5 | (18.6 - 36.3) | 190 | 14.8 | (10.0 - 21.4) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 22.1 | (18.7 - 26.0) | 700 | 26.8 | (21.2 - 33.3) | 323 | 16.7 | (12.3 - 22.1) | 371 |
| | 10th | 21.0 | (18.2 - 24.1) | 612 | 28.2 | (24.3 - 32.5) | 295 | 13.8 | (10.3 - 18.3) | 314 |
| | 11th | 20.0 | (16.6 - 24.0) | 536 | 29.5 | (23.7 - 36.0) | 234 | 10.5 | (7.0 - 15.5) | 299 |
| | 12th | 19.2 | (14.1 - 25.6) | 412 | 24.2 | (16.3 - 34.4) | 189 | 14.4 | (10.0 - 20.3) | 220 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 28.3 | (21.9 - 35.7) | 240 | 36.6 | (27.4 - 46.8) | 103 | 19.8 | (13.9 - 27.5) | 134 |
| | Hispanic/Latino | 22.5 | (15.4 - 31.7) | 207 | - | - | 93 | 14.6 | (8.7 - 23.3) | 112 |
| | White* | 19.4 | (17.0 - 22.1) | 1,662 | 25.6 | (21.5 - 30.2) | 777 | 12.8 | (10.7 - 15.2) | 881 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 45 students who were excluded from the analysis for QN82.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school

| | | Total | | | Male | | Female | | | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 40.2 | (34.5 - 46.2) | 2,280 | 46.9 | (39.7 - 54.1) | 1,045 | 32.7 | (27.1 - 38.9) | 1,206 |
| Age | | | | | | | | | | |
| | 15 or younger | 68.6 | (59.1 - 76.7) | 683 | 73.6 | (61.4 - 83.0) | 308 | 62.8 | (53.2 - 71.6) | 366 |
| | 16 or 17 | 32.7 | (27.1 - 38.8) | 1,184 | 40.1 | (32.1 - 48.7) | 546 | 25.0 | (20.0 - 30.8) | 635 |
| | 18 or older | 20.4 | (14.0 - 28.7) | 399 | 28.7 | (21.2 - 37.5) | 191 | 10.5 | (6.2 - 17.4) | 203 |
| Grade | | | | | | | | | | |
| | 9th | 72.3 | (61.6 - 80.9) | 697 | 78.9 | (65.9 - 87.9) | 322 | 64.8 | (53.8 - 74.5) | 369 |
| | 10th | 36.7 | (29.0 - 45.2) | 611 | 41.1 | (32.1 - 50.9) | 295 | 32.1 | (22.8 - 43.1) | 313 |
| | 11th | 23.2 | (18.7 - 28.4) | 535 | 31.3 | (24.2 - 39.3) | 232 | 14.7 | (10.4 - 20.4) | 300 |
| | 12th | 19.8 | (13.4 - 28.1) | 411 | 28.1 | (20.8 - 36.7) | 190 | 11.2 | (6.8 - 17.9) | 218 |
| Race/Eth | nnicity | | | | | | | | | |
| | Black* | 48.6 | (39.9 - 57.3) | 243 | 57.5 | (45.4 - 68.8) | 107 | 39.1 | (28.9 - 50.3) | 133 |
| | Hispanic/Latino | 41.8 | (33.8 - 50.2) | 206 | - | - | 93 | 35.8 | (23.3 - 50.5) | 111 |
| | White* | 38.5 | (32.5 - 44.8) | 1,655 | 44.8 | (37.4 - 52.5) | 771 | 31.9 | (25.8 - 38.7) | 880 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 51 students who were excluded from the analysis for QN83.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school

| | | Total | | | Male | | | Female | | | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|--|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | |
| | Total | 25.2 | (19.2 - 32.5) | 2,280 | 30.1 | (21.8 - 39.9) | 1,045 | 20.4 | (15.5 - 26.4) | 1,206 | |
| Age | | | | | | | | | | | |
| | 15 or younger | 43.2 | (30.8 - 56.5) | 683 | 48.8 | (33.3 - 64.5) | 308 | 38.5 | (27.6 - 50.8) | 366 | |
| | 16 or 17 | 22.2 | (16.6 - 29.0) | 1,184 | 27.6 | (19.9 - 36.8) | 546 | 16.7 | (12.1 - 22.8) | 635 | |
| | 18 or older | 8.6 | (5.5 - 13.1) | 399 | 12.2 | (7.9 - 18.3) | 191 | 5.0 | (2.4 - 10.0) | 203 | |
| Grade | | | | | | | | | | | |
| | 9th | 45.4 | (32.6 - 58.8) | 697 | 52.0 | (36.6 - 67.1) | 322 | 39.1 | (27.3 - 52.3) | 369 | |
| | 10th | 26.9 | (19.2 - 36.4) | 611 | 29.7 | (20.0 - 41.7) | 295 | 24.2 | (15.4 - 35.9) | 313 | |
| | 11th | 13.2 | (8.7 - 19.5) | 535 | 19.1 | (12.8 - 27.6) | 232 | 7.3 | (4.1 - 12.5) | 300 | |
| | 12th | 9.5 | (6.2 - 14.2) | 411 | 13.4 | (9.1 - 19.3) | 190 | 5.6 | (2.7 - 11.2) | 218 | |
| Race/Et | hnicity | | | | | | | | | | |
| | Black* | 31.5 | (21.1 - 44.2) | 243 | 30.2 | (15.4 - 50.6) | 107 | 32.3 | (23.2 - 42.9) | 133 | |
| | Hispanic/Latino | 24.5 | (17.6 - 33.1) | 206 | - | - | 93 | 22.7 | (13.1 - 36.4) | 111 | |
| | White* | 24.4 | (18.0 - 32.1) | 1,655 | 30.0 | (21.1 - 40.7) | 771 | 18.8 | (13.7 - 25.3) | 880 | |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 | |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 | |

Note: There were 51 students who were excluded from the analysis for QNDLYPE.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN84: Percentage of students who played on one or more sports teams during the past 12 months

| | | | Total | | | Male | | | Female | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 57.0 | (54.4 - 59.5) | 2,283 | 60.5 | (57.7 - 63.2) | 1,043 | 53.3 | (49.1 - 57.3) | 1,211 |
| Age | | | | | | | | | | |
| | 15 or younger | 63.3 | (60.3 - 66.3) | 686 | 65.5 | (60.3 - 70.4) | 309 | 61.7 | (56.4 - 66.6) | 368 |
| | 16 or 17 | 56.6 | (52.7 - 60.4) | 1,183 | 60.6 | (56.1 - 65.0) | 544 | 52.6 | (46.8 - 58.3) | 636 |
| | 18 or older | 49.0 | (43.8 - 54.3) | 400 | 53.6 | (47.8 - 59.3) | 190 | 43.2 | (35.1 - 51.8) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 64.0 | (60.6 - 67.3) | 701 | 67.9 | (63.2 - 72.3) | 324 | 60.0 | (54.3 - 65.5) | 371 |
| | 10th | 55.5 | (51.2 - 59.7) | 610 | 60.2 | (54.4 - 65.8) | 292 | 50.7 | (44.2 - 57.2) | 315 |
| | 11th | 55.0 | (49.0 - 60.8) | 534 | 55.4 | (49.4 - 61.1) | 232 | 54.9 | (45.3 - 64.0) | 299 |
| | 12th | 51.3 | (45.8 - 56.7) | 412 | 56.5 | (50.2 - 62.7) | 189 | 45.4 | (38.1 - 53.0) | 220 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 58.3 | (50.0 - 66.2) | 244 | 68.7 | (57.4 - 78.0) | 106 | 47.4 | (38.8 - 56.1) | 135 |
| | Hispanic/Latino | 47.6 | (41.7 - 53.5) | 206 | - | - | 91 | 36.9 | (28.6 - 46.1) | 113 |
| | White* | 57.4 | (54.5 - 60.3) | 1,658 | 59.4 | (56.8 - 62.1) | 773 | 55.3 | (50.8 - 59.7) | 881 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 54 | - | - | 21 | - | - | 33 |

Note: There were 48 students who were excluded from the analysis for QN84.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection

| | | | Total | | | Male | | | Female | |
|----------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|-------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 89.3 | (87.1 - 91.2) | 2,277 | 87.7 | (85.3 - 89.7) | 1,047 | 91.6 | (88.6 - 93.9) | 1,203 |
| Age | | | | | | | | | | |
| | 15 or younger | 89.7 | (87.1 - 91.8) | 685 | 86.8 | (83.0 - 89.9) | 309 | 94.0 | (91.0 - 96.0) | 368 |
| | 16 or 17 | 89.6 | (87.0 - 91.7) | 1,179 | 87.9 | (84.4 - 90.7) | 547 | 91.4 | (87.8 - 94.0) | 629 |
| | 18 or older | 87.9 | (81.8 - 92.1) | 401 | 88.2 | (81.7 - 92.6) | 191 | 88.7 | (81.1 - 93.5) | 205 |
| Grade | | | | | | | | | | |
| | 9th | 89.4 | (86.9 - 91.5) | 700 | 86.9 | (82.9 - 90.0) | 324 | 93.0 | (89.1 - 95.6) | 370 |
| | 10th | 91.1 | (87.7 - 93.6) | 612 | 87.5 | (82.3 - 91.3) | 294 | 94.9 | (90.1 - 97.4) | 315 |
| | 11th | 88.9 | (85.2 - 91.7) | 529 | 88.4 | (82.2 - 92.6) | 233 | 89.7 | (85.0 - 93.1) | 293 |
| | 12th | 88.5 | (81.9 - 93.0) | 412 | 88.6 | (81.4 - 93.3) | 190 | 88.3 | (79.9 - 93.5) | 219 |
| Race/Etl | nnicity | | | | | | | | | |
| | Black* | 90.1 | (86.5 - 92.9) | 241 | 87.4 | (80.4 - 92.2) | 106 | 93.4 | (87.8 - 96.5) | 132 |
| | Hispanic/Latino | 76.9 | (64.6 - 85.8) | 205 | - | - | 92 | 83.5 | (71.5 - 91.0) | 112 |
| | White* | 90.7 | (88.5 - 92.6) | 1,656 | 89.3 | (86.8 - 91.3) | 775 | 92.3 | (88.7 - 94.8) | 877 |
| | All other races | - | - | 70 | - | - | 35 | - | - | 34 |
| | Multiple races | - | - | 54 | - | - | 22 | - | - | 32 |

Note: There were 54 students who were excluded from the analysis for QN85.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma

| | | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|----------|-----------------|------------|-------------------------------|-------|------------|---------------------------------------|-------|------------|---|-------|
| | Total | 22.5 | (19.6 - 25.6) | 2,284 | 20.5 | (17.8 - 23.5) | 1,048 | 24.7 | (20.6 - 29.2) | 1,209 |
| Age | | | | | | | | | | |
| Ü | 15 or younger | 20.9 | (15.5 - 27.6) | 685 | 18.3 | (12.7 - 25.6) | 310 | 23.2 | (16.5 - 31.7) | 367 |
| | 16 or 17 | 23.0 | (19.5 - 27.0) | 1,184 | 21.1 | (17.7 - 25.0) | 547 | 25.0 | (20.1 - 30.7) | 634 |
| | 18 or older | 23.3 | (20.1 - 26.8) | 402 | 21.6 | (16.7 - 27.6) | 191 | 25.7 | (21.2 - 30.8) | 206 |
| Grade | | | | | | | | | | |
| | 9th | 20.4 | (15.3 - 26.6) | 701 | 17.8 | (12.8 - 24.2) | 325 | 23.1 | (16.3 - 31.7) | 370 |
| | 10th | 21.9 | (17.7 - 26.7) | 613 | 19.9 | (16.5 - 23.8) | 295 | 24.0 | (17.3 - 32.2) | 316 |
| | 11th | 25.7 | (22.1 - 29.7) | 531 | 23.9 | (18.5 - 30.3) | 232 | 27.4 | (22.5 - 32.8) | 296 |
| | 12th | 22.5 | (19.2 - 26.1) | 414 | 20.3 | (15.8 - 25.6) | 190 | 24.6 | (19.1 - 31.1) | 221 |
| Race/Eth | nicity | | | | | | | | | |
| | Black* | 22.2 | (15.6 - 30.5) | 243 | 22.7 | (11.8 - 39.2) | 106 | 22.2 | (14.6 - 32.4) | 134 |
| | Hispanic/Latino | 15.5 | (10.3 - 22.8) | 208 | - | - | 93 | 20.6 | (13.4 - 30.4) | 113 |
| | White* | 22.3 | (18.8 - 26.3) | 1,659 | 19.7 | (16.3 - 23.5) | 775 | 25.0 | (20.6 - 29.9) | 880 |
| | All other races | - | - | 69 | - | - | 35 | - | - | 33 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 47 students who were excluded from the analysis for QN86.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.

Indiana High School Survey Summary Table - Weighted Data

QN87: Percentage of students who had been told by a doctor or nurse that they had asthma and still have asthma (i.e. current asthma)

| | | Total | | | | Male | Female | | | |
|---------|-----------------|------------|-------------------------------|-------|------------|-------------------------------|--------|------------|-------------------------------|-------|
| | | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| | Total | 12.2 | (9.9 - 15.0) | 2,267 | 8.9 | (6.5 - 12.0) | 1,042 | 15.5 | (12.7 - 18.8) | 1,199 |
| Age | | | | | | | | | | |
| | 15 or younger | 12.8 | (9.0 - 18.0) | 681 | 8.2 | (5.1 - 12.9) | 307 | 16.9 | (11.5 - 24.3) | 366 |
| | 16 or 17 | 13.1 | (9.8 - 17.2) | 1,176 | 9.7 | (6.6 - 14.0) | 544 | 16.6 | (12.7 - 21.3) | 629 |
| | 18 or older | 9.2 | (6.6 - 12.7) | 398 | 7.8 | (4.6 - 12.9) | 191 | 11.0 | (7.9 - 15.1) | 202 |
| Grade | | | | | | | | | | |
| | 9th | 12.7 | (9.0 - 17.5) | 696 | 8.1 | (5.3 - 12.2) | 322 | 17.4 | (11.7 - 25.0) | 368 |
| | 10th | 12.6 | (9.6 - 16.3) | 611 | 10.1 | (7.1 - 14.2) | 294 | 15.2 | (10.9 - 20.7) | 315 |
| | 11th | 13.8 | (10.0 - 18.8) | 525 | 9.8 | (5.9 - 16.0) | 230 | 17.5 | (13.0 - 23.2) | 292 |
| | 12th | 9.2 | (6.5 - 13.0) | 411 | 7.0 | (4.1 - 11.6) | 190 | 11.3 | (7.6 - 16.6) | 218 |
| Race/Et | hnicity | | | | | | | | | |
| | Black* | 11.5 | (7.2 - 17.8) | 241 | 11.5 | (5.4 - 22.9) | 106 | 11.8 | (7.0 - 19.2) | 132 |
| | Hispanic/Latino | 8.8 | (5.1 - 14.7) | 205 | - | - | 93 | 9.7 | (4.6 - 19.3) | 110 |
| | White* | 12.3 | (9.4 - 15.9) | 1,651 | 8.2 | (5.5 - 12.2) | 769 | 16.3 | (13.1 - 20.2) | 878 |
| | All other races | - | - | 68 | - | - | 35 | - | - | 32 |
| | Multiple races | - | - | 55 | - | - | 22 | - | - | 33 |

Note: There were 64 students who were excluded from the analysis for QN87.

N = Number of students.

^{*}Non-Hispanic.

^{- =} Less than 100 students in the subgroup.